Electronics Letters

INDEX VOLUME 5 1969

A

A.C. admittance of double-injection space-charge-limited diodes. A. van der Ziel 298 5
A.C. measuring instruments, frequency dependence and energy storage of a class of. W. E. Smith 349 5
Abaka, E., and Baier, W. TE and TM modes in transmission lines with circular outer conductor and eccentric circular inner conductor 251 5
Absolute grid attenuator. J. A. Staniforth and J. E. Allnutt 653 5
Absolute-stability test for discrete systems. C. K. Sun and D. Šiljak 236 5
Acar, C. New return difference 543 5
Accurate trimming of active RC filters by means of phase measurements. K. Mossberg and D. Åkerberg 520 5
Acket, G. A., and Scheer, J. J. Relaxation oscillations due to impact ionisation in epitaxial sheet-type Gunn oscillators 160 5
Acoustic beams using liquid crystals, visualisation of. J. F. Havlice 477 5
Acoustic bulk-surface-wave transducer. R. F. Humphryes and E. A. Ash 175 5
Acoustic cyclotron resonance, Doppler-shifted, in the frequency spectrum of the microwave emission from ntype InSb, observation of. E. Voges 450 5
Acoustic delay line, intrinsic compensation of sidelobes in a. P. Hartemann and E. Dieulesaint 219 5
Acoustic domains in CdS, evidence of parametric conversion in the frequencies of. G. I. Robertson and M. B. N. Butler 529 5
Acoustic holography, phase-only. J. R. Coldrick and D. Holt 168 5
Acoustic-surface-wave filters. P. Hartemann and E. Dieulesaint 657 5
Acoustic-surface-wave structures, simple technique for the accurate determination of delay-time variations in. J. D. Maines, E. G. S. Paige, A. F. Saunders and A. S. Young 678 5
Acoustic surface-wave transducers, electrode interaction in. R. F. Mitchell, W. Willis and M. Redwood 456 5
Acoustic surface waves with two sets of carriers, amplification of. C. F. Quate 317 5
Acoustic waves, continuous deflection of light with longitudinal. R. Torguet and E. Dieulesaint 632 5
Acoustoelectric amplification, new equivalent-circuit approach to. C. Fischler and S. Yando 476 5
Acoustoelectric excitation, microwave emission and, in differently orientated n InSb. F. Seifert, L. Palmetshofer and C. Schatzl 288 5
Acoustoelectric interactions in cadmium-sulphide thin films. I. M. Mason 519 5
Acoustoelectric oscillator, CdS, effect of resonant load on moding of a. A. K. Sharma, M. G. F. Wilson and E. A. Ash 2 5
Acoustoelectric oscillator, equivalent circuit for the. F. G. Marshall 581 5
Acoustoelectric oscillator, voltage and conductivity dependence of the frequency of an. S. K. Lahiri and B. R. Nag 170 5
Active bandpass and bandstop filters using identical networks. B. Wise 366 5
Active reactance compensation of parametric amplifiers. C. S. Aitchison and J. C. Williams 139 5
Active RC bandpass and highpass network. Y. Bedri and T. Deliyannis 331 5
Adaptive delta modulation. P. A. Wing 191 5
Adaptive-logic trees for use in multilevel-circuit design. D. H. Green and P. W. Foulk 83 5
Adder/subtractor, B.C.D. serial. J. D. Nicoud
Admittance, a.c., of double-injection space-charge-limited diodes. A. van der Ziel 298 5
Admittance of a phase-locked Gunn oscillator at high input powers. W. Frey 672 5
Aerial arrays, use of atomic frequency standards for phase calibration of large. K. V. Sheridan 363 5
Aerials, spherical reflector, a new form of line feed for, sectoral hoghorn: T. Pratt and E. D. R. Shearman 1 5
Ahmed, K. U., and Holt, A. G. J. (See Holt)
Ahmad, S., and Khokle, W. S. Field dependence of ionisation rates of electrons in silicon 536 5
Aiguillage et convertisseur virgule-flottante/virgule-fixe cellulaires (Cellular arrays as a programmable switch and floating-point/fixed-point convertor) L. Frécon 651 5
Aitchison, C. S., and Williams, J. C. Active reactance compensation of parametric amplifiers 139 5
Aitchison, C. S., Corbey, C. D., and Newton, B. H. Self-pumped Gunn-effect parametric amplifier 36 5
Åkerberg, D., and Mossberg, K. Low-sensitivity easily trimmed standard building block for active RC filters 528 5
Åkerberg, D., and Mossberg, K. (See Mossberg)
Aleksander, I. Logic hybrid computers: an essential operator 443 5
Algorithm for coefficients of stagger-tapered distributed RC networks. M. Novák 46 5
Algorithm for inversion of large matrices by iteration. A. Wirgin 627 5
Algorithm for matching 1-dimensional patterns in multidimensional space, with application to automatic speech recognition. J. H. Ellis 335 5
Algorithms for majority-logic check equations of maximal-length codes. N. Q. Duc and L. V. Skattebol 577 5
Al-Hakkak, M. J. Experimental investigation of the input-impedance characteristics of an antenna in a rectangular waveguide 513 5
Allen, N. L., and Prew, B. A. Effect of electronegative impurities on electronic conduction in compressed nitrogen 256 5
Allen, R. M. Summation of Gaussians for ion-implantation profile control 111 5
Allnutt, J. E., and Staniforth, J. A. (See Staniforth)
Allowance for relativistic effects in space-charge spreading of an electron beam. P. A. Einstein 546 5
Allpass sections, RC active. T. Deliyannis 59 5
Errata 128 5
Al-Tikriti, M. N., and N-Nagy, F. L. (See N-Nagy)
Ambipolar/free diffusion transition. K. G. Emeleus and R. M. Reynolds 15 5
Ambrózy, A. Transistor thermal-resistance measurement using the ultralinear thermometer principle 100 5
Ammonia-maser oscillator, induced spiking in an. D. C. Lainé and W. S. Bardo 688 5
Ammonia-maser oscillator, transients in an. D. C. Lainé and W. S. Bardo 323 5
Amplification of acoustic surface waves with two sets of carriers. C. F. Quate 317 5
Amplification, high-efficiency avalanche-resonance pumped. B. Hoefflinger, C. P. Snapp and L. A. Stark 43 5
Amplification, power, using an avalanche diode, J. F. Dienst, R. V. D'Aiello and E. E. Thomas 308 5
Amplification with Gunn diodes, broad-band. R. L. Gunshor 305 5
Amplifier, cycloconvertor, allowing wide variation in load impedance. R. H. Masterman 306 5
Amplifier, parametric, self-pumped Gunn-effect. C. S. Aitchison, C. D. Corbey and B. H. Newton 36 5
Amplifiers, transferred-electron, with large n_0L products, stabilisation of. S. Y. Narayan and F. Sterzer 30 5
Amplitude spectra of waveform sequences, comment on systematic method of calculating the. A. C. Davies 296 5
Amplitude spectra of waveform sequences, systematic method of calculating the. W. M. S. Liew and R. C. V. Macario 155 5
Analogue antimultipath communication system. E. Tulunay 127 5
Analogue-computer model for a gallium-arsenide l.s.a. diode. R. R. Mueller and B. Nitz 498 5
Errata 630 5
Analogue-computer model for an avalanche-diode oscillator. M. Claassen and W. Harth 218 5
Analogue conductivity switch. T. L. Tansley and J. E. Ralph 671
Analogue-digital-converter modification giving a four-times speed gain. L. R. Jenkin 274
Analogue multiplier, new feedback-stabilised. H. Brüggemann 86
Errata 670
Analysis and synthesis of cascaded noncommensurable transmission lines. A. Premoli 286
Analysis of a rectangular waveguide junction incorporating a row of rectangular posts. P. R. Huckle and P. H. Masterman 559
Analysis of linear microstrip using an arbitrary ferromagnetic substance as the substrate. T. Kaneki 463
Analysis of oscillator circuit with hard excitation. G. K. E. Budzyński 297
Analysis of spherical hybrid modes in a corrugated conical horn. P. J. B. Clarricoats 189
Anderson, A. P., and Swingler, D. N. (See Swingler)
Anderson, B. D. O. Stability results for optimal systems 545
Anodic oxide electrets. L. W. Davies and R. E. Collins 462
Anomalous propagation of v.h.f. radio links in the United Kingdom. J. A. Lane and I. E. Owolabi 704
Antenna arrays, multiring. E. Borchi and V. Cappellini 9
Antenna earth screens, large, surface-wave effects with. J. R. Wait 552
Antenna in a rectangular waveguide, experimental investigation of the input-impedance characteristics of an. M. J. Al-Hakkak 513
Antenna, microwave, periodically modulated dielectrically filled waveguide as a. P. Balling 508
Antenna, short, input impedance of a, in a warm plasma driven from a coaxial air line. D. T. Nguyen 33
Antennas, two coupled cylindrical, in a hot plasma, measurement of self and mutual impedances of. R. Lundquist and K. M. Chen 472
Antimultipath, analogue, communication system. E. Tulunay 127
Aperture distributions, realisability of uniform. A. C. Kak 233
Aperture diffraction by a cylinder, computation of near-field. A. J. Hissink 404
Aperture phase control, generation of multiple simultaneous beams by. J. L. Queen and T. C. Cheston 494
Application of the ray-optical technique to dielectric-loaded rectangular waveguides. J. E. Robinson, A. Mohsen and M. A. K. Hamid 380
Application of the sampling theorem to a multislit structure of a confocal-mirror resonator. E. Yamashita, R. Mittra and T. Itoh 67
Approximation for the response of capacitively loaded transmission-line networks in the time domain. R. Murray-Shelley 550
Approximation theorem for establishing root-locus topology. H. M. Power 97
Ardon, M. T., and Malik, N. R. New analysis tool for graphs 399
Argon afterglow, electron-temperature, density and gas-temperature measurements in an. B. V. Donovan and M. C. Sexton 185
Argon-laser wavelengths, sensitivity of resist-coated silicon slices to. M. J. Beesley, J. G. Castledine and D. P. Cooper 257
Armstrong, G. A., Magowan, J. A., and Burt, D. J. Two-dimensional analysis of double-gate m.o.s. transistor 633
Armstrong, G. A., Magowan, J. A., and Ryan, W. D. Optimum accelerating factor for s.o.r. solutions of domains containing $\partial\phi/\partial\eta = 0$ boundary conditions 69
Armstrong, G. A., Magowan, J. A., and Ryan, W. D. Two-dimensional solution of the d.c. characteristics for the m.o.s.t. 406
Arnbak, J. Leaky waves on a dielectric rod 41
Arnold, D. H., and Hanna, D. C. Transverse-mode selection of rotating-mirror Q switched lasers 354
Arnold, S. Dispersive effects in microstrip on alumina substrates 673

Array, fully iterative fast, for binary mulitplication and addition. H. H. Guild 263
Arrays, multiring-antenna. E. Borchi and V. Cappellini 9
Ash, E. A., and Humphryes, R. F. (See Humphryes)
Ash, E. A, Sharma, A. K., and Wilson, M. G. F. (See Sharma)
Asymptotically stable discrete-time closed-loop linear systems, synthesis of. B. Porter 162
Atherton, D. P., and Fieguth, W. Quasilinear analysis of a nonlinear a.c. channel 300
Attenuation coefficient of dielectric-lined coaxial cables. B. Chambers and M. M. Z. Kharadly 65
Attenuator, absolute grid. J. A. Staniforth
Audoin, C., Desaintfuscien, M., Petit, P., and Schermann, J. P. Efficiency of a single-hyperfine-state selector for hydrogen masers 292
Austin, W. E., and Lewis, D. G. (See Lewis)
Autocorrelation functions, primitive, p-level sequences with. H. A. Barker 531
Automata, finite, implementation of Turing machines as. D. W. Lewin 616
Avalanche-breakdown conditions, directional effect of electric-field growth on. J. Urgell 16
Errata 109
Avalanche-diode oscillator, analogue-computer model for an. M. Claassen and W. Harth 218
Avalanche-diode oscillators, octave tuning and the effect of second-harmonic loading on. R. A. Giblin, K. G. Hambleton and C. A. Tearle 361
Avalanche diode, power amplification using an. J. F. Dienst, R. V. D'Aiello and E. E. Thomas 308
Avalanche diodes, parametrically generated high-efficiency low-frequency oscillations in. M. I. Grace 163
Avalanche diodes under large-signal conditions, low-frequency operation of. B. Culshaw 583
Avalanche mode, high-efficiency, in microstrip. H. J. Pratt 467
Avalanche-resonance pump, degenerate amplification with semiconductor diodes due to a self-generated. C. P. Snapp and B. Hoefflinger 393
Avalanche-resonance pumped amplification, high-efficiency. B. Hoefflinger, C. P. Snapp and L. A. Stark 43
Avalanche-resonance-pumped semiconductor diodes, simplified model for. B. Hoefflinger, F. Zappert and C. P. Snapp 590
Avalanche transistors, series operation of. T. H. O'Dell 94

B

B.C.D. serial adder/subtractor. J. D. Nicoud 686
Backscatter signal, laboratory method of measuring the phase of a. E. F. Knott 667
Baheti, R. S., and Nagrath, I. J. (See Nagrath)
Baier, W., and Abaka, E. (See Abaka)
Bajon, J., Hoffman, J. C., and Hait, J. R. Sur une méthode de détermination expérimentale des caractéristiques d'un varactor à jonction hyperabrupte (Method dealing with the experimental determination of the hyperabrupt junction varactor characteristics) 132
Balling, P. Periodically modulated dielectrically filled waveguide as a microwave antenna 508
Balmain, K. G., and Mikhail, S. W. Loop coupling to a periodic dipole array 228
Bandpass, active RC, and highpass network. Y. Bedri and T. Deliyannis 331
Bandstop filter for the H_{10} mode in a rectangular waveguide. W. Braeckelmann 500
Bandwidth properties of corrugated conical horns. B. MacA. Thomas 581
Errata 670
Bao, V. T. Optimisation of efficiency of shallow reflectors 6
Bardo, W. S., and Lainé, D. C. (See Lainé)
Barker, H. Synchronous sampling theorem for nonlinear systems 657
Barker, H. A. p-level sequences with primitive autocorrelation functions 531
Barlow, H. M., and Sen, M. Experiments on a two-wire line resonator supporting the hybrid TEM-dual surface wave 68
Barlow, H. M. New engineering approach to the calculation of losses in coaxial cables 706
Bass, J. C., Clarke, G. M., and Edridge, A. L. (See Clarke)
Bass, J. C., Edridge, A. L., Myers, F. A., and Davidson, B. J. (See Edridge)
Batch fabrication of integral heat-sink IMPATT diodes. A. M. Cowley and R. A. Zettler 693
Batchelor, B. G., and Wilkins, B. R. Method for location of clusters of patterns to initialise a learning machine 481
Bates, R. H. T. Rayleigh hypothesis, the extended-boundary condition and point matching 654
Baughan, K. M., and Myers, F. A. Multiple series operation of Gunn-effect oscillators 371
Beam-plasma interaction, coupled-mode description of. Bong Ho 719
Beam-scanning primary feed for parabolic reflectors. A. W. Rudge and M. J. Withers 39
Becklake, E. J. S., Payne, C. D., and Prewer, B. E. Polarity reversal in the detected output of a point-contact diode at submillimetre wavelengths 544
Bedri, Y., and Deliyannis, T. Active RC bandpass and highpass network 331
Beesley, M. J., Castledine, J. G., and Cooper, D. P. Sensitivity of resist-coated silicon slices to argon-laser wavelengths 257
Beg, S., and Salvage, B. Discharge repetition in an air-filled cavity in polythene under high direct electric stresses at elevated temperatures 118
Beg, S., and Salvage, B. Discharge repetition in an air-filled cavity in high-density polythene under high direct electric stresses at elevated temperatures 388
Bell, D. A. Short error-correcting codes 367
Bell, R. D., and Goodwin, G. C. (See Goodwin)
Berson, B. E., Kuno, H. J., and Reynolds, J. F. (See Kuno)
Berson, B. E., Reynolds, J. E., and Enstrom, R. E. (See Enstrom)
Bhartia, P., and Hamid, M. A. K. Eigenvalues for higher-order conical-horn modes 684
Bhartia, P., Boerner, W. M., and Hamid, M. A. K. Computation of eigenvalues for higher-order modes in a conical horn 33
Bhattacharyya, A. B., and Sarnot, S. L. (See Sarnot)
Bhattacharya, T. K. Dynamic elastance of a Gunn diode 408
Bianisotropic materials, waveguide containing, general orthogonality relation for. Duong Ba Hop 52
Bickart, T. A., and Krikorian, J. S., Jun. (See Krikorian)
Biglieri, E., Castellani, V., and Pent, M. Waveform transmission with permutation modulation 149
Bilharz-Hermite and Hermite-Hurwitz links using matrix multiplication. P. C. Parks 55
Bilinear transformations, correction of a Smith-chart display through. H. V. Shurmer 209
Binary code suitable for line transmission. J. M. Griffiths 79
Binary multiplication and addition, fully iterative fast array for. H. H. Guild 263
Binary sequences, pseudorandom, parameter estimation using. C. J. MacLeod 35
Bipolar transistor, functional relationship between minority-carrier density and injection level in a. C. R. Viswanathan and R. S. Posner 378
Biró, V. New equivalent circuit of the p-n junction in the frequency-multiplying mode 563
Bistable electrical-switching behaviour in glasses and other media. R. Chapman 246
Biswas, N. N. Special class of symmetric Boolean functions 72
Biswas, N. N. Special class of symmetric Boolean functions: proof and comment 444
Blair, J. C., Melanson, L. L., and Tveten, L. H. H.F. ionospheric radar ground-scatter map showing land-sea boundaries by a spectra-separation technique 75
Boccon-Gibod, D. Rectangular-pulse generator and memory element with a Gunn diode 91
Boerner, W. M., Hamid, M. A. K., and Bhartia, P. (See Bhartia)
Bolton, R. M. G., and Jones, B. F. Effects of temperature on contact resistance of Gunn diodes 662
Bong Ho. Coupled-mode description of beam-plasma interaction 719
Boolean functions, special class of symmetric: proof and comment. N. N. Biswas 444
Boolean functions, symmetric, special class of. N. N. Biswas 72
Boot, H. A. H., King, P. G. R., and Shersby-Harvie, R. B. R. Ring-laser bias using reciprocal optical components 347
Borchi, E., and Cappellini, V. Multiring-antenna arrays 9
Borchi, E. Electromagnetic field of an infinite helical sheath 76
Borchi, E. Electromagnetic scattering by a helical sheath 572
Bosch, B. G., Frey, W., Pollmann, H., and Englemann, R. W. (See Frey)
Bosch, B. G., Pollman, H., and Engelmann, R. W. H. (See Pollmann)
Bose, N. K., and Soliman, A. M. Novel approach to synthesis of multivariable positive-real functions 717
Bose, S. C., and Das, J. (See Das)
Bostock, P. A., and Walsh, D. Variation of velocity/field curve of GaAs in the temperature range 40–180°C 623
Boundary and volume filtering of linear distributed-parameter systems. S. G. Tzafestas 199
Boundary-value problems, 2-point, arising in optimal control, improved method of solution of. A. Griffin 532
Bown, G. C. D.C. analysis of nonlinear networks 374
Boylett, F. D. A. Electric discharges on water surfaces 47
Brady, M. M. Cutoff wavelengths and frequencies of standard rectangular wave guides 410
Brady, M. M. Discrepancies in waveguide attenuation expressions 718
Braeckelmann, W., and Henke, H. Reflection and transmission at an abrupt change in cross-section of a rectangular wave guide in the E and H plane 332
Braeckelmann, W. Bandstop filter for the H_{10} mode in a rectangular waveguide 500
Braun, S. Influence of clipping during signal detection by crosscorrelation method 440
Braunling, R. D., and Brown, D. P. Generation of positive-real rational functions 290
Brignell, J. E., and Buttle, A. (See Buttle)
Broadband amplification with Gunn diodes. R. L. Gunshor 305
Broadband mixer, general, minimum loss of a. D. P. Howson 123
Broom, R. F. Self modulation at gigahertz frequencies of a diode laser coupled to an external cavity 571
Brown, D., and Watkins, J. (See Watkins)
Brown, D. P., and Braunling, R. D. (See Braunling)
Brown, R. F. Fourier-series drift correction in periodic-cross-correlation schemes 15
Brown, R. F. Modification of p.r.b.n. crosscorrelation method to correct for the effect of nonlinearity 594
Brown, R. F. Review and comparison of drift-correction schemes for periodic crosscorrelation 179
Brüggemann, H. New feedback-stabilised analogue computer 86
Errata 670
Brugia, O., and Dècina, M. Reframing statistics of p.c.m. multiplex transmission 625
Brunt, G. A. Low-frequency negative resistance of X band Gunn diodes 151
Bryant, T. G., and Weiss, J. A. (See Weiss)
Budzyński, G. K. E. Analysis of oscillator circuit with hard excitation 297
Building block, low-sensitivity easily trimmed standard, for active RC filters. D. Åkerberg and K. Mossberg 528
Bulk negative-resistance material, stability of. L. Lewin 184
Bulk-surface-wave transducer, acoustic. R. F. Humphryes and E. A. Ash 175
Burrows, M. L. Equivalence of the Rayleigh solution and the extended-boundary-condition solution for scattering problems 277
Burrows, M. L. Example of the generalised-function validity of the Rayleigh hypothesis 694
Burslem, T. J., and Stanley, I. W. (See Stanley)
Burt, D. J., Armstrong, G. A., and Magowan, J. A. (See Armstrong)
Butcher, M. E., and Watson, P. A. (See Watson)
Butler, M. B. N., and Robertson, G. I. (See Robertson)
Butler matrix, wide-bandwidth, frequency-insensitive phase-shift networks and their use in a. M. J. Withers 496
Butterworth-filter type, optimum distributed-parameter, as a limiting case of the optimum Chebyshev approximation. G. R. Hoffman 60
Buttle, A., and Brignell, J. E. Enhanced photoemission into n hexane 687

Buykes, J., Mau, A., Stein, A., Thompson, L., Youssef, T. Stochastic sampling character-recognition system. 635

C

CdS acoustoelectric oscillator, effect of resonant load on moding of a. A. K. Sharma, M. G. F. Wilson and E. A. Ash 2
CdS platelets, frequency tuning of. A. Gopinath and H. Davies 622
CdS platelets, oscillating, circuit behaviour of. A. Gopinath and H. Davies 42
CO_2 laser plasma, mean electron energy in a. D. C. Tyte 447
C. W. anomalous-mode operation in silicon planar IMPATT diodes. R. H. De Boise and P. W. Shackle 232
Cabion, P. J., and Volckman, P. V. Pseudonoise ionospheric communication system 299
Cadmium-sulphide thin films, acousto-electric interactions in. I. M. Mason 519
Calculation of growth rates in oscillators. K. I. Lundstrom 319
Calculation of the complex permittivity of lossy dielectric materials using the Roberts-von Hippel standing-wave method. J. Watkins and D. Brown 243
Calculation of radiation patterns. J. R. James and L. W. Longdon 567
Calculation of transients on unsymmetrical multiconductor line systems using the graphical method. R. Murray-Shelley 316
Califano, F. P., Larrabee, R. D., and Steele, M. C. (See Steele)
Cambon, G., and Quate, C. F. Dispersive Rayleigh waves on quartz 402
Capacitance, numerical calculations of the, of linearly graded Si p-n junctions. W. Nuyts and R. Van Overstraeten. 54
Errata 174
Capacitance, precise comparison of resistance and. Joseph M. Diamond 336
Capacitive compensation of the RC potential divider with lumped stray capacitances to earth, exact solution for. A. G. Heaton, D. K. Pal and T. H. Teich 279
Capacitive surface loading, Gunn oscillations in thin samples with. K. R. Hofmann 289
Cappellini, V., and Borchi, E. (See Borchi)
Carbon-dioxide laser with high power per unit length. A. Crocker and M. S. Wills 63
Cartianu, G., and Popea, A. Transmission system with cascade phase modulation by dividing the baseband spectrum into subbands 147
Cartwright, N. E. Modification to the receive-path waveguide feeder of Goonhilly aerial 240
Cascade phase modulation, transmission system with, by dividing the baseband spectrum into subbands. G. Cartianu and A. Popea 147
Castledine, J. G., Cooper, D. P., and Beesley, M. J. (See Beesley)
Castellani, V., Pent, M., and Biglieri, E. (See Biglieri)
Cathodoluminescence of oxygen-implanted zinc-doped gallium phosphide. S. D. Lacey, L. N. Large and D. R. Wright 203
Caughey, D. M. Computer simulation of u.h.f.-transistor small-signal behaviour at high frequencies 165
Cavity-controlled generator, Gunn-effect. T. G. Shevchenko and Yu. A. Tsvirko 107
Cavity with an evanescent section, resonance-frequency behaviour of. F. M. Stuber and L. E. Davis 418
Cellular arrays as a programmable switch and floating-point/fixed-point convertor. (Aiguillage et converterisseur virgule-flottante/virgule-fixe cellulaires) L. Frécon 651
Cellular logical array for obtaining the square of a binary number. K. J. Dean 370
Chalcogenide glass switches, on state of. A. C. Warren 609
Chalcogenide glasses, switching mechanism in. A. C. Warren 461
Errata 570
Chalmers, J., and Stein, A. Iterative array for preprocessing of hand-printed characters 431
Chambers, B., and Kharadly, M. M. Z. Attenuation coefficient of dielectric-lined coaxial cables 65
Chambers, B. Propagation characteristics of inhomogeneous dielectric-filled coaxial cables 685
Chan, S. P., and Leach, D. P. (See Leach)
Chapman, R. Bistable electrical-switching behaviour in glasses and other media 246
Character-recognition system, stochastic sampling. J. Buykes, A. Mau, A. Stein, L. Thompson and T. Youssef 635
Charging time of a high-voltage impulse generator. G. W. Swift 534
Chawla, B. R., and Coleman, D. J., Jun. Critical conductivity-length product for electromagnetic instability in negative-differential-conductivity media 31
Chebyshev approximation, optimum distributed-parameter Butterworth-filter type as a limiting case of the optimum. G. R. Hoffman 60
Chen, K. M., and Lundquist, R. (See Lundquist)
Chen, Wai-Kai. Conversion of an arbitrary node into a source node in a flow graph 338
Cheston, T. C., and Queen, J. L. (See Queen)
Cheung, L. K., and Ho, C. F. Synthesis using active constant-resistance 3-terminal networks 328
Chilvers, P. W. C., and Foster, K. Modified circuit model for the step-recovery diode to include nonzero transition time 345
Circuit behaviour of oscillating CdS platelets. A. Gopinath and H. Davies 42
Circular resonant structures on microstrip. J. Watkins 524
Claassen, M., and Harth, W. Analogue-computer model for an avalanche-diode oscillator 218
Clarke, G. M., Edridge, A. L., and Bass, J. C. Planar Gunn-effect oscillators with concentric electrodes 471
Clarricoats, P. J. B. Analysis of spherical hybrid modes in a corrugated conical horn 189
Clarricoats, P. J. B., and Lim, S. H. Proposed high-efficiency spherical reflector 709
Clarricoats, P. J. B., and Saha, P. K. Radiation from wide-flare-angle scalar horns 376
Clarricoats, P. J. B., and Saha, P. K. Radiation pattern of a lens-corrected conical scalar horn 592
Clarricoats, P. J. B., and Saha, P. K. Theoretical analysis of cylindrical hybrid modes in a corrugated horn 187
Clarricoats, P. J. B., Hannaford, C. D., and Masterman, P. H. (See Masterman)
Cleverley, M. E., and Norbury, J. R. Technique for improving the frequency/temperature characteristics of 3 cm-band Gunn oscillators 449
Closed-loop systems, synthesis of asymptotically stable linear time-invariant, incorporating multivariable 3-term controllers. B. Porter 557

Coaxial air line, input impedance of a short antenna in a warm plasma driven from a. D. T. Nguyen 33
Coaxial-cable equaliser, thin-film. I. W. Stanley and T. J. Burslem 598
Coaxial-cable p.c.m. telephone systems, design criterion for. M. Décina and G. Paladin 385
Coaxial cables, dielectric lined, attenuation coefficient of. B. Chambers and M. M. Z. Kharadly 65
Coaxial cables, new engineering approach to the calculation of losses in. H. M. Barlow 706
Coaxial cables, propagation characteristics of inhomogeneous dielectric-filled. B. Chambers 685
Codes, short error-correcting. D. A. Bell 367
Codes, linear uniform. S. M. Reddy 71
Coldrick, J. R., and Holt, D. Phase-only acoustic holography 168
Coleman, D. J., Jun., and Chawla, B. R. (See Chawla)

Collins, R. E., and Davies, L. W. (See Davies)
Combined pulse-modulation scheme for feedback systems. M. A. Pai and M. S. Varadarajan 436
Comment on an improved method of analysing nonlinear electrical networks. D. R. Heywood and A. D. Moore 269
Comment on efficient method for the calculation of first- and second-order network sensitivities T. B. M. Neill 483
Comment on improved method of solution of 2-port boundary-value problems arising in optimal control. P. L. Neely 708
Comment on systematic method of calculating the amplitude spectra of waveform sequences. A. C. Davies 296
Communication system, analogue antimultipath. E. Tulunay 127
Comparison of TEM with waveguide-below-cutoff resonators. M. K. McPhun 425
Compensation of time delay and smoothing errors in hybrid computation loops. D. Duytschaever 225
Complex permittivity of lossy dielectric materials using the Roberts-von Hippel standing-wave method, calculation of the. J. Watkins and D. Brown 243
Compton, B., Fuller, D. W. E., and Hines, J. (See Fuller)
Computation loops, compensation of time delay and smoothing errors in hybrid. D. Duytschaever 225
Computation of eigenvalues for higher-order modes in a conical horn. P. Bhartia, W. M. Boerner and M. A. K. Hamid 33
Computation of electric-field configurations in anisotropic electro-optic crystals. A. J. Kendall and J. H. Pattenden 446
Computation of near-field aperture diffraction by a cylinder. A. J. Hissink 404
Computer-aided design-and-analysis programs, simple charge-controlled transient model of the m.o.s. transistor for. R. W. McGuffin, D. McG. Luke and W. D. Ryan 638
Computer method of solving waveguide-iris problems. P. H. Masterman, P. J. B. Clarricoats and C. D. Hannaford 23
Computer program to obtain the time response of sampled-data systems. S. E. Williamson 209
Computer simulation of u.h.f.-transistor small-signal behaviour at high frequencies. D. M. Caughey 165
Conditions for single conduction in a series-type frequency multiplier using an ideal step-recovery diode. W. M. Van Loock 368
Conduction, natural, and thermal-activation energy in chlorobenzene and bromobenzene. P. Prabhakara Rao and G. R. Govinda Raju 507
Conductivity-length product, critical, for electromagnetic instability in negative-differential-conductivity media. B. R. Chawla and D. J. Coleman, Jun. 31
Conductivity, microwave incremental, of InSb at 77°K in the presence of high steady electric field. D. Mukhopadhyay and B. R. Nag. 20
Confirmation of abnormally high electron density in a transient mercury-vapour plasma by laser-interferometer measurements. A. G. Heaton, T. Kano and D. K. Pal 295
Confocal-mirror resonator, multislit coupling structure of a, application of the sampling theorem to a. E. Yamashita, R. Mittra and T. Itoh 67
Conical-horn antenna, corrugated, with small flare angle, experimental radiation pattern of the. M. E. J. Jeuken 484
Conical-horn antenna, small corrugated, with wide flare angle. M. E. J. Jeuken and C. W. Lambrechtse 489
Conical horn, computation of eigenvalues for higher-order modes in a. P. Bhartia, W. M. Boerner and M. A. K. Hamid 33
Conical-horn modes, eigenvalues for higher-order. P. Bhartia and M. A. K. Hamid 684
Conical horns, corrugated, bandwidth properties of. B. MacA. Thomas 561
Errata 670
Considerations in the design of a model propagation path to study obstacle diffraction. R. W. King 234
Constantinides, A. G. Digital notch filters 198
Contacts, metal-glass, in high electric fields. K. J. McLean 72
Continuous deflection of light with longitudinal acoustic waves. R. Torguet and E. Dieulesaint 632
Contraction-mapping fixed-point theorem and finite-time stability. J. S. Krikorian, Jun., and T. A. Bickart 157
Contribution to the theory of phase-angle loci. H. M. Power 703

Control-weighting matrix, iterative procedure for determining the best. M. A. Hassan 441
Controlled wide-range quadrature phase-shift network. A. K. H. Miller 588
Conversion, decimal-binary. J. D. Nicoud 294
Conversion on an arbitrary node into a source node in a flow graph. Wai-Kai Chen 336
Convertor bridges, observation of faults in. C. E. Fernando 195
Convertor circuit, design basis and characteristics of a special frequency-voltage. T. C. Edwards 327

Cooper, D. P., Beesley, M. J., and Castledine, J. G. (See Beesley)
Corbey, C. D, Newton, B. H., and Aitchison, C. S. (See Aitchison)
Corona current density at an electrode boundary, measurement of. O. J. Tassicker 285
Correction of a Smith-chart display through bilinear transformations. H. V. Shurmer 209
Correlation of slow rates of rise of current with times to pinch in transient mercury-vapour plasma. A. G. Heaton and D. K. Pal 249
Corrugated conical horn, analysis of spherical hybrid modes in a. P. J. B. Clarricoats 189
Corrugated horn, theoretical analysis of cylindrical hybrid modes in a. P. J. B. Clarricoats and P. K. Saha 187
Cound, V. M., Hulme, K. F., and Davies, P. H. (See Hulme)
Coupled-mode description of beam-plasma interaction. Bong Ho 719
Coupler, dual adjacent directional. P. C. Tan 283
Coupling efficiency, measurement of the, between dielectric-loaded rectangular waveguides and dielectric-loaded trough waveguides. N. B. Saddler and J. A. Staniforth 131
Coupling matrices, finite-element. P. Daly 613
Coupling measurements of surface-wave interdigital transducers in piezoelectric ceramics. H. Thomann 652
Covariance state, minimum, and parameter estimation, input synthesis for. G. C. Goodwin 539
Cowley, A. M., and Zettler, R. A. Batch fabrication of integral-heat-sink IMPATT diodes 693
Criterion for mode uncoupling in oblique-incidence scattering from radially inhomogeneous cylinders. R. G. Parkinson 182
Criterion for the stability of a fourth-order position control system. J. L. Willems 96
Errata 174
Critical conductivity-length product for electromagnetic instability in negative-differential-conductivity media. B. R. Chawla and D. J. Coleman, Jun. 31
Crocker, A., and Wills, M. S. Carbon-dioxide laser with high power per unit length 63
Croney, J., Woroncow, A., and Salt, H. Detection of surface targets in sea clutter by shipborne radar 619
Crosscorrelation method, influence of clipping during signal detection by. S. Braun 440
Crosscorrelation, periodic, review and comparison of drift-correction schemes for. R. F. Brown 179
Cullen, A. L., and Davies, O. J. New principle for wideband mode coupling 90
Cullen, A. L. New technique for digital phase-shift control 141
Culshaw, B. Low-frequency operation of avalanche diodes under large-signal conditions 583
Cumming, S. D. G. Design of observers of reduced dynamics 213
Current instabilities, observation of, in a dielectric-surface-loaded n type GaAs bulk element. S. Kataoka, H. Tateno and M. Kawashima 114
Current-mode circuits for ternary-logic realisation. H. Dunderdale 575
Cutoff frequency of the TM_{c21} mode in a hollow conducting elliptical waveguide. J. G. Kretzschmar 192
Cutoff wavelengths and frequencies of standard rectangular waveguides. M. M. Brady 410
Cutsets of a graph, enumeration of all. K. S. Rao, V. V. B. Rao, P. Sankaran and V. G. K. Murti 208
Errata 442
Cycloconvertor amplifier allowing wide variation in load impedance. R. H. Masterman 306
Cyclotron resonance, Doppler-shifted acoustic, in the frequency spectrum of the microwave emission from ntype InSb, observation of. E. Voges 450
Cylindrical hybrid modes, theoretical analysis of, in a corrugated horn. P. J. B. Clarricoats and P. K. Saha 187

D

D partition, dynamic. N. G. Harris 631
D.C. analysis of nonlinear networks. G. C. Bown 374
D. C. characteristics, two-dimensional solution of the, for the m.o.s.t. G. A. Armstrong, J. A. Magowan and W. D. Ryan 406
D'Aiello, R. V., Thomas, E. E., and Dienst, J. F. (See Dienst)
Daly, P. Finite-element coupling matrices. 613
Daniel, P. J., Ford, R. A., and Schofield, J. M. Transistor fabrication using diffusion barriers produced by electron beams 169
Das, J., and Bose, S. C. Digital communication in fading channels using incoherent carriers 579
Dasarathy, B. V. First-order nonlinear systems governed by generalised Riccati partial-differential equation 238
Dasarathy, B. V. Systems with generalised Riccati-Bernoulli nonlinearities 674
Dascalu, D. Experimental evidence of transit-time effects in silicon punch-through diodes 196
Dascalu, D. Small-signal impedance of space-charge-limited semiconductor diodes 230
Dastidar, P. R., Ravindran, K., and Pant, H. C. Gettering of impurities from gallium arsenide 553
Davidson, B. J., Bass, J. C., Edridge, A. L., and Myers, F. A. (See Edridge)
Davies, A. C. Comment on systematic method of calculating the amplitude spectra of waveform sequences 296
Davies, A. C. Delayed versions of linear sequences 211
Davies, A. C. Digital-filter frequency response 210
Davies, A. C. Probability-density functions of digitally filtered m sequences 222
Davies, H., and Gopinath, A. (See Gopinath)
Davies, L. W., and Collins, R. E. Anodic oxide electrets 462
Davies, O. J., and Cullen, A. L. (See Cullen)
Davies, P. H., Cound, V. M., and Hulme, K. F. (See Hulme)
Davis, L. E., and Stuber, F. M. (See Stuber)
De Boise, R. H., and Shackle, P. W. C. W. anomalous-mode operation in silicon planar IMPATT diodes 232
De Mori, R. Suggestion for an i. c. fast parallel multiplier 50
Errata 109
de Santis, P., and Marchetti, F. Resonance absorption of microwave longitudinal phonons in transversally magnetised [100] y.i.g. rods 200
Dean, K. J. Cellular logical array for obtaining the square of a binary number 370
Decimal-binary conversion. J. D. Nicoud 294
Decimal-binary conversion, fast. H. H. Guild 427
Dècina, M., and Brugia, O. (See Brugia)
Dècina, M., and Paladin, G. Design criterion for coaxial-cable p.c.m. telephone systems 385
Decomposition of time-varying LC elements and the state-space formulation. T. Murata 142
Decoupling and determination of the inverse for time-varying multivariable systems (Die Entkopplung und die Bestimmung der Inversen) bei Zeitvariablen Mehrgrossen-systemen E. Freund 73
Deczky, A. G. General expression for the group delay of digital filters 663
Deeley, E. M., and Jefferson, C. M. Square-spiral scanning system 19
Degenerate amplification with semiconductor diodes due to a self-generated avalanche-resonance pump. C. P. Snapp and B. Hoefflinger 393
Delay analysis of a magnetoelastic delay line by field pulsing. B. Désormière and F. Furst 426
Delay lines, demodulation of Pal signals with two uncritical. L. Verhoeven 344
Delay lines, surface-wave matched, for pulse compression. E. Teodori 334
Delay-time variations in acoustic-surface-wave structures, simple technique for the accurate determination of. J. D. Maines, E. G. S. Paige, A. F. Saunders and A. S. Young 678
Delayed versions of linear sequences. A. C. Davies 211
Deliyannis, T., and Bedri, Y. (See Bedri)
Deliyannis, T. RC active allpass section 59
Errata 128
Delta modulation, adaptive. P. A. Wing 191
Demodulation of Pal signals with two uncritical delay lines. L. Verhoeven 344
Desaintfuscien, M., Petit, P., Schermann, J. P., and Audoin, C. (See Audoin)
Design algorithms for minimal-order Luenberger observers. M. M. Newmann 390
Design basis and characteristics of a special frequency-voltage convertor circuit. T. C. Edwards 327
Design criterion for coaxial-cable p.c.m. telephone systems. M. Dècina and G. Paladin 385
Design equations for a 2-branch stripline directional coupler/impedance transformer. L. F. Lind 495
Design formulas for active RC filters using operational-amplifier biquad. J. Tow 339
Design of a pulse-current transformer. T. H. O'Dell 369
Design of asynchronous logic with unconstrained input variation. D. W. Lewin 320
Design of linear time-variable systems (Über den Entwurf linearer zeitvariabler Systeme). E. Freund 343
Design of observers of reduced dynamics. S. D. G. Cumming 213
Désormière, B., and Furst, F. Delay analysis of a magnetoelastic delay line by field pulsing 426
Detection of surface targets in sea clutter by shipborne radar. J. Croney, A. Woroncow and H. Salt. 619
Determination of pulse-transfer function of a digital filter from prescribed partial requirements. A. R. Memon 465
Determination of the optimum successive overrelaxation parameter for the solution of Laplace's equation. J. S. Pearson and J. A. Harrison 558
Diamond, J. M. Impedance-measuring method 239
Diamond, Joseph M. Precise comparison of resistance and capacitance 336
Die Entkopplung und die Bestimmung der Inversen bei Zeitvariablen Mehrgrssen-systemen (Decoupling and determination of the inverse for time-varying multivariable systems) E. Freund 73
Dielectric cylinder, diffraction by an infinite, due to a normally incident cylindrical wave. W. S. Hammond and M. A. K. Hamid 675
Dielectric-lined coaxial cables, attentuation coefficient of. B. Chambers and M. M. Z. Kharadly 65
Dielectric-loaded waveguides, perturbation analysis in. S. C. Kashyap and M. A. K. Hamid 140
Dielectric rod, leaky waves on a. J. Arnbak 41
Dielectric rod, leaky waves on a. J. R. James 252
Dielectric-surface-loaded n type GaAs bulk element, observation of current instabilities in a. S. Kataoka, H. Tateno and M. Kawashima 114
Dienst, J. F., D'Aiello, R. V., and Thomas, E. E. Power amplification using an avalanche diode 308
Dierckens, M. Field-effect transistors with arbitrary charge distributions in the gate and in the channel 528
Dieulesaint, E., and Hartemann, P. (See Hartemann)
Dieulesaint, E., and Torguet, R. (See Torguet)
Difference between the TM_{11} mode in a circular and elliptical waveguide. J. G. Kretzschmar 602
Differentiating circuits with nonlinear resistance and capacitance. F. Fallside and R. A. Macey 45
Diffraction by an infinite dielectric cylinder due to a normally incident cylindrical wave. W. S. Hammond and M. A. K. Hamid 675
Diffusion barriers produced by electron beams, transistor fabrication using. P. J. Daniel, R. A. Ford and J. M. Schofield 169
Diffusion transition, ambipolar/free. K. G. Emeleus and R. M. Reynolds 15
Digital communication in fading channels using incoherent carriers. J. Das and S. C. Bose 579
Digital computation of frequency response of multiloop systems. J. R. Hewit 696
Digital-filter frequency response. A. C. Davies 210
Digital filter from prescribed partial requirments, determination of pulse-transfer function of a. A. R. Memon 465
Digitial filters, general expression for the group delay of. A. G. Deczky 663
Digital filters, lowpass, using least-squared-error design. J. B. Naylor and J. M. Townsend 647
Digital filters, unsymmetrical band-pass and bandstop. W. Winkelnkemper 585
Digital phase-shift control, new technique for. A. L. Cullen 141
Digital notch filters. A. G. Constantinides 198
Diode oscillator, proposed high-efficiency. P. Penfield, Jun. 387
Diodes, Gunn-effect pulse, memory loop with. S. H. Izadpanah and H. L. Hartnagel 53
Dipolar propagation, magnetostatic, in a thin ferromagnet slab. J. P. Parekh 642
Dipole array, periodic, loop coupling to a. K. G. Balmain and S. W. Mikhail 228
Directional coupler/impedance transformer, 2-branch stripline, design equations for a. L. F. Lind 495

Directional effect of electric-field growth on avalanche-breakdown conditions. (Effet du sens de croissance du champ électrique sur les conditions de claquage par avalanche. J. Urgell 16
Errata 109
Discharge repetition in an air-filled cavity in high-density polythene under high direct electric stresses at elevated temperatures. S. Beg and B. Salvage 388
Discharge repetition in an air-filled cavity in polythene under high direct electric stresses at elevated temperatures. S. Beg and B. Salvage 118
Discharges, electric, on water surfaces. F. D. A. Boylett 47
Discrepancies in waveguide attenuation expressions. M. M. Brady 718
Discrete system, absolute-stability test for. C. K. Sun and D. Šiljak 236
Dispersive effects in microstrip on alumina substrates. S. Arnold 673
Dispersive Rayleigh waves on quartz. G. Cambon and C. F. Quate 402
Dissipative half space, image theory of a quasistatic magnetic dipole over a. J. R. Wait 281
Distributed lines, generalised solutions for. B. S. Westcott 643
Distributed-parameter systems, linear, boundary and volume filtering of. S. G. Tzafestas 199
Distributed RC networks, stagger tapered, algorithm for coefficients of. M. Novák 46
Distributed RC networks with rational immittances. K. J. Gough 206
Donohoe, J., and Mentzoni, M. H. (See Mentzoni)
Donovan, B. V., and Sexton, M. C. Electron-temperature, density and gas-temperature measurements in an argon afterglow 185
Downs, T. Symbolic evaluation of transmittances from the nodal-admittance matrix T. Downs 379
Drift correction, Fourier-series, in periodic-crosscorrelation schemes. R. F. Brown 15
Drift-correction schemes, review and comparison of, for periodic cross-correlation. R. F. Brown 179
Drift elimination in system identification using binary m sequences. C. J. Macleod 112
Dual adjacent directional coupler P. C. Tan 283
Dubock, P. Numerical analysis of forward and reverse bias potential distribution in a 2-dimensional p-n junction with applications to capacitance calculations 236
Errata 278
Duc, N. Q., and Skattebol, L. V. Algorithms for majority-logic check equations of maximal-length codes 577
Dunderdale, H. Current-mode circuits for ternary-logic realisation 575
Duytschaever, D. Compensation of time delay and smoothing errors in hybrid computation loops 225
Dydyk, M. and Gaglione, S. (See Gaglione)
Dynamic characteristics of a mutually synchronised system. T. Saito and H. Yasuda 153
Dynamic D partition. N. G. Harris 631
Dynamic elastance of a Gunn diode. T. K. Bhattacharya 408
Dynamical systems, minimal indices in. H. H. Rosenbrock 658
Dynamics of pulsed-microwave breakdown in a nonuniform field. M. H. Mentzoni and J. Donohoe 21

E

Edmunds, H. R., and Pringle, R. D. Electron-beam deflection and registration for information storage 479
Edridge, A. L., Bass, J. C., and Clarke, G. M. (See Clarke)
Edridge, A. L., Myers, F. A., Davidson, B. J., and Bass, J. C. Pulsed J band (12.4-18GHz) Gunn-effect oscillators 103
Edwards, G. P. N-path filters in which the switched filters are not lowpass sections 10
Edwards, G. P. Variable-bandwidth filters using switching 12
Edwards, T. C. Design basis and characteristics of a special frequency-voltage convertor circuit 327
Effect du sens de croissance du champ electrique sur les conditions de claquage par avalanche. (Directional effect of electric-field growth on avalanche-breakdown conditions). J. Urgell 16
Errata 109
Effect of boundary conditions on the propagation of surface magnetostatic waves in a transversely magnetised thin y.i.g. slab. P. Young 429
Effect of electronegative impurities on electronic conduction in compressed nitrogen. N. L. Allen and B. A. Prew 256
Effect of incidental modulation in systems employing pseudorandom codes. N. Lichtenstein and S. Rauch 4
Effect of resonant load on moding of a CdS acoustoelectric oscillator. A. K. Sharma, M. G. F. Wilson and E. A. Ash 2
Effect of viscous damping on Pasek's method for determining d.c. servomotor time constants. W. Lord and R. M. Roberge 57
Effects of temperature on contact resistance of Gunn diodes. R. M. G. Bolton and B. F. Jones 662
Efficiency of a single-hyperfine-state selector for hydrogen masers. C. Audoin, M. Desaintfuscien, P. Petit and J. P. Schermann 292
Efficiency peaking in red-light-emitting gallium-phosphide diodes. A. R. Peaker, S. J. Fisk and A. Mottram 186
Efficient evaluation of transient response for high-order systems of wide bandwidth. T. B. M. Neill 599
Efficient method for the calculation of first- and second-order network sensitivities. P. J. Goddard and R. Spence 351
Eigenvalues for higher-order conical-horn modes. P. Bhartia and M. A. K. Hamid 684
Einarsson, O., and Plato, T. Electromagnetic scattering by a thin resistive wire 637
Einstein, P. A. Allowance for relativistic effects in space-charge spreading of an electron beam 546
Electrets, anodic oxide. L. W. Davies and R. E. Collins 462
Electric dipole, fields of, on radially inhomogeneous ground surface. J. R. Wait and K. P. Spies 478
Electric discharges on water surfaces. F. D. A. Boylett 47
Electric-field growth, directional effect of, on avalanche-breakdown conditions. J. Urgell 16
Errata 109
Electric strength of fluorocarbon liquids under repetitive pulse voltages. G. W. Whalley and B. Salvage 460
Electrical characteristics of p type germanium layers doped by ion implantation. K. C. Jones and P. R. C. Stevens 499
Electrical equivalence, general principle of, for nonuniform transmission lines. A. G. J. Holt and K. U. Ahmed 143
Electrical-switching behaviour, bistable, in glasses and other media. R. Chapman 246
Electrode interactions in acoustic surface-wave transducers. R. F. Mitchell, W. Willis and M. Redwood 456
Electromagnetic scattering by a thin resistive wire. O. Einarsson and T. Plato 637
Electro-optic crystals, anisotropic, computation of electric-field configurations in. A. J. Kendall and J. H. Pattenden 446
Electro-optic effect, optimum longitudinal, in oblique-cut lithium-niobate plates. K. F. Hulme, P. H. Davies and V. M. Cound 171
Errata 325
Electromagnetic field of an infinite helical sheath. E. Borchi 76
Electromagnetic instability in negative differential-conductivity media, critical conductivity-length product for. B. R. Chawla and D. J. Coleman, Jun. 31
Electromagnetic resonances of a free ferrite sphere. I. Wolff 104
Electromagnetic scattering by a helical sheath. E. Borchi 572
Electron-beam deflection and registration for information storage. H. R. Edmunds and R. D. Pringle 479
Electron beams, transistor fabrication using diffusion barriers produced by. P. J. Daniel, R. A. Ford and J. M. Schofield 169
Electron density, high-resolution laser interferometer for measurement of, in transient plasma. T. Kano and A. G. Heaton 413
Electron-temperature, density and gas-temperature measurements in an argon afterglow. B. V. Donovan and M. C. Sexton. 185
Electronic conduction in compressed nitrogen, effect of electronegative impurities on. N. L. Allen and B. A. Prew 256
Electrostatic probe in a flowing continuum plasma. D. L. Thomas 341
Elimination of delay times in X band Gunn-effect oscillators using r.f. injection. R. Harrison 503
Elliptical waveguide, hollow conducting, cutoff frequency of the TM_{c11} mode in a. J. G. Kretzschmar 192
Ellis, J. H. Algorithm for matching 1-dimensional patterns in multidimensional space, with application to automatic speech recognition 335
Emeleus, K. G., and Reynolds, R. M. Ambipolar/free diffusion transition 15
Engelmann, R. W., Bosch, B. G., Frey, W., and Pollmann, H. (See Frey)
Engelmann, R. W. H., Bosch, B. G., and Pollman, H. (See Pollmann)
Enhanced photoemission into n hexane. A. Buttle and J. E. Brignell 687
Enstrom, R. E., Berson, B. E., and Reynolds, J. E. Vapour growth of multilayered GaAs structures for series operation of transferred-electron oscillators 714
Enumeration of all cutsets of a graph. K. S. Rao, V. V. B. Rao, P. Sankaran and V. G. K. Murti 208
Errata 442
Enumeration of all trees of a graph. V. V. B. Rao and V. G. K. Murti 282
Epitaxial diodes, silicon, semiquantitative treatment of transients in. D. J. Roulston and R. C. Varshney 548
Epitaxial sheet-type Gunn oscillators, relaxation oscillations due to impact ionisation in. G. A. Acket and J. J. Scheer 160
Equaliser, thin-film coaxial-cable. I. W. Stanley and T. J. Burslem 598
Equivalence of the noise figures of common-source and common-gate f.e.t. circuits. A. van der Ziel 161
Equivalence of the Rayleigh solution and the extended-boundary-condition solution for scattering problems. M. L. Burrows 277
Equivalent circuit for the acousto-electric oscillator. F. G. Marshall 581
Equivalent circuit of an evanescent-mode inductive element. L. Lewin 415
Equivalent circuit of transistor mixer. K. Kishan Rao and S. Venkateswaran 649
Erlicki, M. S., and Schieber, D. (See Schieber)
Error-free identification using maximally orthogonal p.r.b.n. sequences. G. C. Goodwin and R. D. Bell 453
Error-locating code, implementing an. A. Potton 121
Error-probability upper bound for coherentaly detected p.s.k. signals with cochannel interference. V. K. Prabhu 383
Esteve, D. J., and Simonne, J. J. M.I.S. capacitance in heavy inversion 194
Evaluating the secondary ionisation coefficients in gases using concentric coaxial electrodes. R. Hackam 346
Evaluation of the integral of exponentially weighted squared errors. F. T. Mann 280
Evanescent-mode inductive element, equivalent circuit of an. L. Lewin 415
Evanescent section, resonance-frequency behaviour of a cavity with an. F. M. Stuber and L. E. Davis 418
Evans, B. G. Peformance of two types of log-periodic microwave circuit 522
Evans, F. C. Use of inverse Karnaugh maps in realisation of logic functions 537
Errata 670
Evidence of parametric conversion in the frequencies of acoustic domains in CdS. G. I. Robertson and M. B. N. Butler 529
Exact solution for capacitive compensation of the RC potential divider with lumped stray capacitance to earth. A. G. Heaton, D. K. Pal and T. H. Teich 279
Example of the generalised-function validity of the Rayleigh hypothesis. M. L. Burrows 694
Exon, J. L. T. Improved method of measurement of transient load angle 428
Experimental determination of the ratio of injected hole current and total current in silicon nitride. W. Quast and B. Schiek 485
Experimental evidence of transit-time effects in silicon punch-through diodes. D. Dascalu 196
Experimental investigation of the input-impedance characteristics of an antenna in a rectangular waveguide. M. J. Al-Hakkak 513
Experimental radiation pattern of the corrugated conical-horn antenna with small flare angle. M. E. J. Jeuken 484
Experimental study of flicker noise in m.i.s. field-effect transistors. N. R. Mantena and R. C. Lucas 607
Experiments on a two-wire line resonator supporting the hybrid TEM-dual surface wave. H. M. Barlow and M. Sen 68

Exponentially weighted squared errors, evaluation of the integral of. F. T. Man 280
Extended-boundary-condition solution for scattering problems, equivalence of the Rayleigh solution and the. M. L. Burrows 277
Extending Valand's transient-response formula. R. I. Ross and J. Valand 615

External Q_e of an ellipsoidally shaped ferrimagnetic resonator coupled to strip and microstrip transmission line. S. Gaglione and M. Dydyk 640
Extremal-control system, stability of a sinusoidal-perturbation. D. J. G. James 220

F

F.E.T. circuits, common-source and common-gate, equivalence of the noise figures of. A. van der Ziel 161
F.E.T. saturation, new analysis of. A. Luque, J. M. Ruiz-Perez and R. Segovia 420
F.E.T. switches, floating-drive circuit for. I. D. G. Macleod 515
F.M. demodulator, phase filter, an untested. D. R. Hummels 720
F. M. noise, IMPATT-diode, Q dependence of. W. Harth and G. Ulrich 7
Fairman, F. W. Periodic sampling and the Poisson transform 595
Fallside, F., and Macey, R. A. Differentiating circuits with nonlinear resistance and capacitance 45
Fallside, F. Goodman, C. J., and Jackson, R, D. Stability of first order sampling and thyristor systems 566
Fast decimal-binary conversion. H. H. Guild 427
Fast-Fourier-transform method, means of reducing computing time in the. A. G. J. Holt and J. Yates 330
Fast inverse Laplace transformation of functions containing one multiple pole. F. L. N-Nagy and M. N. Al-Tikriti 547
Errata 670
Faulkner, E. A., and Meade, M. L. Frequency-modulation sensitivity of Gunn oscillators 217
Fawcett, W., Hilsum, C., and Rees, H. D. Optimum semiconductor for microwave devices. 313
Feedback systems containing a single monotonic nonlinearity, stability of. I. J. Nagrath and R. S. Baheti 457
Felsen, L. B. Ray method for scattering by small discontinuities in a waveguide 542
Ferguson, D. R. General power-series description of multiplicative nonlinear systems 450
Fernando, C. E. Observation of faults in convertor bridges 195
Ferrimagnetic resonator coupled to strip and microstrip transmission line, external Q_e of an ellipsoidally shaped. S. Gaglione and M. Dydyk 640
Ferrite parameters, measurement of, at microwave frequencies. F. W. Schott and T. F. Tao 84
Ferrite sphere, electromagnetic resonances of a. I. Wolff 104
Ferrites, magnetoelastic surface wave in. J. P. Parekh 322
Ferrites, Mn-Zn_2Y planar hexagonal, second-order spin-wave instability in. J. Helszajn and J. McStay 525
Ferromagnetic slab, magnetostatic dipolar propagation in a thin. J. P. Parekh 642
Fieguth, W., and Atherton, D. P. (See Atherton)
Field analysis for the cylindrical m.h.d. induction generator. E. Young, Jun. 659
Field dependence of ionisation rates of electrons in silicon. S. Ahmad and W. S. Khokle 536
Field-effect transistors with arbitrary charge distributions in the gate and in the channel. M. Dierckens 528
Fields of electric dipole on radially inhomogeneous ground surface. J. R. Wait and K. P. Spies 478
Filter for low frequencies, improved self-tuning. P. C. Majhee and K. P. Rajappan 116
Filter, new type of time-varying octave. A. K. H. Miller 310
Filter sections, N-path, with biquadratic transfer functions. W. Saraga 711
Filter, simple ultra-lowpass, (diode brake). D. Wuchinich 137
Filters, acoustic-surface-wave. P. Hartemann and E. Dieulesaint 657
Filters, highly stable RC active. M. Miyahara 401
Filters, N-path, in which the switched filters are not lowpass sections. G. P. Edwards 10
Filters using identical networks, active bandpass and bandstop. B. Wise 366
Filters, variable bandwidth, using switching. G. P. Edwards 12
Finite-element coupling matrices. P. Daly 613
Finite-state machines, relationship between two concepts of equivalence for. K. Vairavan 655
Finite-time stability, contraction-mapping fixed-point theorem and. J. S. Krikorian, Jun., and T. A. Bickart 157
First-order correction for zero-order hold distortion in sampled-data filters. R. K. P. Galpin 574
First-order nonlinear systems governed by generalised Riccati partial-differential equation. B. V. Dasarathy 238
First-order operators, symbolic functions and. M. Stafford and J. M. Nightingale 167
Fischler, C., and Yando, S. New equivalent-circuit approach to acousto-electric amplification 476
Fisk, S. J., Mottram, A., and Peaker, A. R. (See Peaker)
Fixed-point theorem, contraction-mapping, and finite-time stability, J. S. Krikorian, Jun., and T. A. Bickart 157
Fleming, J. P., and Ward, E. W. Improved technique for voltage measurement in the scanning-electron microscope 435
Flicker noise in m.i.s. field-effect transistors, experimental study of. N. R. Mantena and R. C. Lucas 607
Floating-drive circuit for f.e.t. switches. I. D. G. Macleod 515
Flow graph, conversion of an arbitrary node into a source node in a. Wai-Kai Chen 338
Fluorocarbon liquids under repetitive pulse voltages, electric strength of. G. W. Whalley and B. Salvage 460
Focal-plane field distribution of parabolic reflectors. A. W. Rudge 510
Ford, R. A., Schofield, J. M., and Daniel, P. J. (See Daniel)
Forms of probability-density functions obtainable from summed m sequences. T. J. Healy 624
Foster, K., and Chilvers, P. W. C. (See Chilvers)
Foulk, P. W., and Green, D. H. (See Green)
Fourier analysis of a dielectric-loaded waveguide with a microstrip line. J. S. Hornsby and A. Gopinath 265
Fourier analysis of pseudorandom binary sequences. R. J. Kavanagh 173
Fourier-series drift correction in periodic-crosscorrelation schemes. R. F. Brown 15
Frécon, L. Aiguillage et convertisseur virgule-flottante/virgule-fixe cellulaires (Cellular arrays as a program.n.able switch and floating-point/fixed-point convertor) 651
Frécon, L. Un resultat sur l'application de procédés limites de synthèse à des fonctions Booléennes (Result of limited synthesis procedures applied to switching) 419
Frequency dependence and energy storage of a class of a.c. measuring instruments. W. E. Smith 349
Frequency-insensitive phase-shift networks and their use in a wide-bandwidth Butler matrix. M. J. Withers 496
Frequency-modulation sensitivity of Gunn oscillators. E. A. Faulkner and M. L. Meade 217
Frequency multiplier using an ideal step-recovery diode, conditions for single conduction in a series-type. W. M. Van Loock 368
Frequency multipliers, optimised, using an ideal step-recovery diode without idlers. R. H. Johnston 136
Frequency-multiplying mode, new equivalent circuit of the p-n junction in the. V. Birô 563
Generalised approach of pinch-in and crowding effects in planar transistors (Sur une formulation unifiée des mécanismes de focalisation et de défocalisation dans les transistors plans). P. Leturcq and G. Rey 355
Generalised-function representations of nonlinear devices with Gaussian inputs. K. V. Lever 487
Errata 630
Generalised solutions for distributed lines. B. S. Westcott 643
Generation of multiple pseudorandom point processes from m sequences. J. M. Taylor 28
Generation of multiple simultaneous beams by aperture phase control. J. L. Queen and T. C. Cheston 494
Generation of positive-real rational functions. R. D. Braunling and D. P. Brown 290
Generator, rectangular-pulse, and memory element with a Gunn diode. D. Boccon-Gibod 91
George, T. S. Nonlinear frequency modulation by noise 396
Gettering of impurities from gallium arsenide. P. R. Dastidar, K. Ravindran and H. C. Pant 553
Giblin, R. A., Hambleton, K. G., and Tearle, C. A. Octave tuning and the effect of second-harmonic loading on avalanche-diode oscillators 361
Giguere, J. C., Ramachandran, V., and Verma, P. K. Use of Routh-Hurwitz algorithm for determining the number of negative-real-axis zeros in a given polynomial having real coefficients 546
Glasses, chalcogenide, switching mechanism in. A. C. Warren 461
Errata 570
Glover, J. L., and Keen, A. W. (See Keen)
Goddard, P. J., and Spence, R. Efficient method for the calculation of first- and second-order network sensitivities. 351
Goodman, C. J., Jackson, R. D., and Fallside, F. (See Fallside)
Goodwin, G. C., and Bell, R. D. Error-free identification using maximally orthogonal p.r.b.n. sequences 453
Goodwin, G. G. Input synthesis for minimum covariance state and parameter estimation 539
Gopinath, A., and Davies, H. Circuit behaviour of oscillating CdS platelets 42
Gopinath, A., and Davies, H. Frequency tuning of CdS platelets 622
Gopinath, A., and Hornsby, J. S. (See Hornsby)
Gough, K. J. Distributed RC networks with rational immittances 206
Gough, K. J. Realisation of nonuniform RC networks with rational admittances 207
Gouriet, G. G. Method of measuring time delay 438
Errata 570
Govinda Raju, G. R., and Prabhakara Rao, P. (See Prabhakara Rao)
Grace, M. I. Parametrically generated high-efficiency low-frequency oscillations in avalanche diodes 163
Graphical simplification of switching functions with more than four variables. J. Jakobschuk 566
Graphs, new analysis tool for. M. T. Ardon and N. R. Malik 399
Green, D. H., and Foulk, P. W. Adaptive-logic trees for use in multilevel-circuit design 83
Greer, R., and Gunning, J. W. (See Gunning)
Griffin, A. Improved method of solution of 2-point boundary-value problems arising in optimal control 532
Griffiths, J. M. Binary code suitable for line transmission 79
Ground-scatter map, h.f. ionospheric radar, showing land-sea boundaries by a spectral-separation technique. J. C. Blair, L. L. Melanson and L. H. Tveten 75
Group delay of digital filters, general expression for the. A. G. Deczky 663
Gueret, P. Space-charge wave instability in a semiconductor exhibiting field-dependent diffusion coefficient and saturated drift velocity 248
Guild, H. H. Fast decimal-binary conversion 427
Guild, H. H. Fully iterative fast array for binary multiplication and addition 263
Gunn devices, high-efficiency series operation of. M. C. Steele, F. P. Califano and R. D. Larrabee 81
Gunn diode, dynamic elastance of a. T. K. Bhattacharya 408
Gunn diode, 100mW c.w. K. J. Harris 123
Gunn diode, rectangular-pulse generator and memory element with a. D. Boccon-Gibod 91
Gunn diodes, broadband amplification with. R. L. Gunshor 305
Gunn-diodes, effects of temperature on contact resistance of. R. M. G. Bolton and B. F. Jones 662
Gunn diodes, harmonic generation using. P. S. Kooi and D. Walsh 159
Frequency response of a thin-film transmission line. I. W. Stanley and T. J. Burslem 88
Frequency stability, short-term, of the HCN maser. D. W. E. Fuller, J. Hines and B. Compton 448
Frequency tuning of CdS platelets. A. Gopinath and H. Davies 622
Freund. E. Die Entkopplung und die Bestimmung der Inversen bei Zeitvariablen Mehrgssen-systemen (Decoupling and determination of the inverse for time-varying multivariable systems) 73
Freund, E. Über den Entwurf linearer zeitvariabler Systeme (Design of linear time-variable systems) 343
Frey. W. Admittance of a phase-locked Gunn oscillator at high input powers 672

Frey, W., Pollmann, H., Englemann, R. W., and Bosch, B. G. Influence of second-harmonic frequency termination on Gunn-oscillator performance 691
Fuller, D. W. E., Hines, J., and Compton, B. Short-term frequency stability of the HCN maser 448
Fully iterative fast array for binary multiplication and addition. H. H. Guild 263
Functional relationship between minority-carrier density and injection level in a bipolar transistor. C. R. Viswanathan and R. S. Posner 378
Functional spaces in Lyapunov's direct method for a class of partial differential equations. Dahsoong Yu 357
Furst, F., and Désormière, B. (See Désormière)

G

GaAs bulk element, dielectric-surface-loaded, observation of multiple high-field domains in a. M. Kawashima and S. Katoaka 455
GaAs by dielectric surface loading, suppression of travelling high-field-domain mode oscillations in. S. Kataoka, H. Tateno and M. Kawashima 48
GaAs in the temperature range 40–180°C, variation of velocity/field curve of. P. A. Bostock and D. Walsh 623
GaAs structures, vapour growth of multilayered, for series operation of transferred electron oscillators. R.E.Enstrom, B.E.Berson and J.E.Reynolds 714
GaP red lamps, output saturation in. B. L. H. Wilson and H. C. Wright 412
Gaglione, S., and Dydyk, M. External Q_E of an ellipsoidally shaped ferrimagnetic resonator coupled to strip and microstrip transmission line 640
Gain stabilisation of parametric amplifiers. J. C. Vokes and K. R. Heath 89
Galejs, J. Phase variability of Omega navigational transmissions 106
Gallawa, R. L., and Partch, J. E. Use of nonuniform dielectrics on surface-wave structures 177
Gallium-arsenide-diode laser, regular pulsing of. E. Mohn 261
Gallium-arsenide l.s.a. diode, analogue-computer model for a. R. R. Mueller and B. Nitz 498
Gallium phosphide, cathodoluminescence of oxygen-implanted zinc-doped. S. D. Lacey, L. N. Large and D. R. Wright 203
Gallium-phosphide diodes, efficiency peaking in red-light-emitting. A. R. Peaker, S. J. Fisk and A. Mottram 186
Galpin, R. K. P. First-order correction for zero-order hold distortion in sampled-data filters 574
Gaussian inputs, generalised-function representations of nonlinear devices with. K. V. Lever. 487
Errata 630
Gaussians, summation of, for ion-implantation profile control. R. M. Allen 111
General expression for the group delay of digital filters. A. G. Deczky 663
General least-squares program for fitting functions to data. P. N. Murgatroyd 701
General orthogonality relation for waveguide containing bianisotropic materials. Duong Ba Hop 52
General power-series description of multiplicative nonlinear systems. D. R. Ferguson 450
General principle of electrical equivalence for nonuniform transmission lines. A. G. J. Holt and K. U. Ahmed 143
General rule for the compensation of the sensitivity of a network to its active devices. A. G. J. Holt and M. R. Lee 324
Generalisation of nodal and mesh analysis. T. B. M. Neill 365
Generalisation of the unstiffening process for stiff nonlinear systems. T. B. M. Neill 595
Gunn diodes, triggering times of. V. Székely and L. Koblinger 609
Gunn diodes, X band, low-frequency negative resistance of. G. A. Brunt 151
Gunn-domain space-charge growth, initial time constants of the. J. Pokorny 452
Gunn-effect cavity-controlled generator. T. G. Shevchenko and Yu. A. Tsvirko 107
Gunn-effect oscillators, multiple series operation of. K. M. Baughan and F. A. Myers 371
Gunn-effect oscillators, planar, with concentric electrodes. G. M. Clarke, A. L. Edridge and J. C. Bass 471
Gunn-effect oscillators, pulsed J band (12.4–18GHz). A. L. Edridge, F. A. Myers, B. J. Davidson and J. C. Bass 103
Gunn-effect oscillators, X band, using r.f. injection, elimination of delay times in. R. Harrison 503
Gunn-effect parametric amplifier, self-pumped. C. S. Aitchison, C. D. Corbey and B. H. Newton 36
Gunn-effect pulse diodes, memory loop with. S. H. Izadpanah and H. L. Hartnagel 53
Gunn instabilities with surface loading. H. L. Hartnagel 303
Gunn oscillations in thin dielectric-loaded samples, some aspects of. K. R. Hofmann 227
Gunn oscillations in thin samples with capacitive surface loading. K. R. Hofmann 289
Gunn oscillator at high input powers, admittance of a phase-locked. W. Frey 672
Gunn-oscillator performance, influence of circuit parameters on. H. Pollmann, R. W. H. Engelmann and B. G. Bosch 492
Gunn-oscillator performance, influence of second-harmonic frequency termination on. W. Frey, H. Pollmann, R. W. Englemann and B. G. Bosch 691
Gunn oscillators by dielectric-surface loading, improvements in efficiency and tunability of. S. Kataoka, H. Tateno and M. Kawashima 491
Gunn oscillators, epitaxial sheet-type, relaxation oscillations due to impact ionisation in. G. A. Acket and J. J. Scheer 160
Gunn oscillators, frequency-modulation sensitivity of. E. A. Faulkner and M. L. Meade 217
Gunn oscillators, 3 cm-band, technique for improving the frequency/temperature characteristics of. M. E. Cleverley and J. R. Norbury 449
Gunn oscillators with heavy surface loading, stability criterion for. K. R. Hofmann 469
Gunning, J. W., and Greer, R. Telegraph time-division-multiplex equipment for satellite-communication systems 259
Gunshor, R. L. Broadband amplification with Gunn diodes 305
Gunston, M.A.R., and Weale, J.R. Variation of microstrip impedance with strip thickness 697
Gyrator circuit for floating or earthed inductors, readily biased wideband. T. N. Rao 309

H

HCN-laser linewidth, technique for measurement of. R. G. Strauch 246
HCN maser, short-term frequency stability of the. D. W. E. Fuller, J. Hines and B. Compton 448
H. F. ionospheric radar ground-scatter map showing land-sea boundaries by a spectral-separation technique. J. C. Blair, L. L. Melanson and L. H. Tveten 75
Hackam, R. Evaluating the secondary ionisation coefficients in gases using concentric coaxial electrodes 346
Hait, J. R., Bajon, J., and Hoffman, J. C. (See Bajon)
Hall voltage, nonlinearity of. D. Schieber and M. S. Erlicki 78
Hambleton, K. G., Tearle, C. A., and Giblin, R. A. (See Giblin)
Hamer, R. C. Microwave-frequency synthetisers 156
Hamid, M. A. K., and Kashyap, S. C. (See Kashyap)
Hamid, M. A. K., and Hammond, W. S. (See Hammond)
Hamid, M. A. K., Bhartia, P., and Boerner, W. M. (See Bhartia)
Hamid, M. A. K. Mode coefficients in a sectoral horn by ray theory 95
Hamid, M. A. K., Robinson, J. E., and Mohsen, A. (See Robinson)
Hammond, W. S., and Hamid, M. A. K. Diffraction by an infinite dielectric cylinder due to a normally incident cylindrical wave 675
Hanna, D. C., and Arnold, D. H. (See Arnold)
Hannaford, C. D., Masterman, P. H., and Clarricoats, P. J. B. (See Masterman)
Harmonic generation using Gunn diodes. P. S. Kooi and D. Walsh 159
Harris, K. J. 100mW c.w. Gunn diode 123
Harrison, J. A., and Pearson, J. S. (See Pearson)
Harrison, R. Elimination of delay times in X band Gunn-effect oscillators using r.f. injection 503
Hartemann, P., and Dieulesaint, E. Acoustic-surface-wave filters 657
Hartemann, P., and Dieulesaint, E. Intrinsic compensation of sidelobes in a dispersive acoustic delay line 219
Harth, W., and Claassen, M. (See Claassen)
Harth, W., and Ulrich, G. Q dependence of IMPATT-diode f. m. noise 7
Hartnagel, H. L., and Izadpanah, S. H. (See Izadpanah)
Hartnagel, H. L. Gunn instabilities with surface loading 303
Hassan, M. A. Iterative procedure for determining the best control-weighting matrix 441
Havlice, J. F. Visualisation of acoustic beams using liquid crystals 477
Healy, T. J. Forms of probability-density functions obtainable from summed m sequences 624
Heath, K. R., and Vokes, J. C. (See Vokes)
Heaton, A. G., and Kano, T. (See Kano)
Heaton, A. G., and Pal, D. K. Correlation of slow rates of rise of current with times to pinch in transient mercury-vapour plasma 249
Heaton, A. G., and Sullivan, N. J. (See Sullivan)
Heaton, A. G., Kano, T., and Pal, D. K. Confirmation of abnormally high electron density in a transient mercury-vapour plasma by laser-interferometer measurements 295
Heaton, A. G., Pal, D. K., and Teich, T. H. Exact solution for capacitive compensation of the RC potential divider with lumped stray capacitances to earth 279
Heavy inversion, m.i.s. capacitance in. D. J. Esteve and J. J. Simonne 194
Helical sheath, electromagnetic scattering by a. E. Borchi 572
Helical sheath, infinite, electromagnetic field of an. E. Borchi 76
Helicon crossed-coil 2-port, nonreciprocity in. J. P. Parekh 293
Helszajn, J., and McStay, J. Second-order spin-wave instability in Mn-Zn_2Y planar hexagonal ferrites 525
Henke, H., and Braeckelmann, W. (See Braeckelmann)
Hermite-Hurwitz and Hermite-Bilharz links using matrix multiplication. P. C. Parks 55
Hewit, J. R. Digital computation of frequency response of multiloop systems 696
Heywood, D. R., and Moore, A. D. Comment on an improved method of analysing nonlinear electrical networks 269
High-efficiency avalanche mode in microstrip. H. J. Pratt 467
High-efficiency avalanche-resonance pumped amplification. B. Hoefflinger, C. P. Snapp and L. A. Stark 43
High-efficiency continuous oscillations in silicon IMPATT diodes below the transit-time frequency. I. Thomson 229
High-efficiency low-frequency oscillations, parametrically generated, in avalanche diodes. M. I. Grace 163
High-efficiency self-pulsed IMPATT oscillator circuit. P. W. Shackle 395
High-efficiency series operation of Gunn devices. M. C. Steele, F. P. Galifano and R. D. Larrabee 81
High-order systems of wide bandwidth, efficient evaluation of transient response for. T. B. M. Neill 599
Highpass network, active RC bandpass and. Y. Bedri and T. Deliyannis 331
High-resolution laser interferometer for measurement of electron density in transient plasma. T. Kano and A. G. Heaton 413
Highly stable RC active filters. M. Miyahara 401
Hill, P. C. J. Hybrid p.c.m.–an experimental video system 352
Hilsum, C., Rees, H. D., and Fawcett, W. (See Fawcett)
Hines, J., Compton, B., and Fuller, D. W. E. (See Fuller)
Hissink, A. J. Computation of near-field aperture diffraction by a cylinder 404
Ho, C. F., and Cheung, L. K. (See Cheung)
Hoefflinger, B., and Snapp, C. P. (See Snapp)
Hoefflinger, B., Snapp, C. P., and Stark, L. A. High-efficiency avalanche-resonance pumped amplification 43
Hoefflinger, B., Zappert, F., and Snapp, C. P. Simplified model for avalanche-resonance-pumped semiconductor diodes 590
Hoffman, G. R. Optimum distributed-parameter Butterworth-filter type as a limiting case of the optimum Chebyshev approximation 60
Hoffman, J. C., Hait, J. R., and Bajon, J. (See Bajon)
Hofmann, K. R. Gunn oscillations in thin samples with capacitive surface loading 289
Hofmann, K. R. Some aspects of Gunn oscillations in thin dielectric-loaded samples 227

Hofmann, K. R. Stability criterion for Gunn oscillators with heavy surface loading 469
Hollway, D. L., and Somlo, P. I. (See Somlo)
Holograms, microwave, and microwave reconstruction. K. Iizuka 26
Holograms, simple microwave, and moiré fringes using the 'spinning-dipole' field-perturbation technique. D. N. Swingler and A. P. Anderson 314
Holography, acoustic, phase-only. J. R. Coldrick and D. Holt 168
Holt, A. G. J., and Ahmed, K. U. General principle of electrical equivalence for nonuniform transmission lines 143
Holt, A. G. J., and Lee, M. R. General rule for the compensation of the sensitivity of a network to its active devices 324
Holt, A. G. J., and Nightingale, C. Simple analysis method for a class of non-linear networks of arbitrary order of complexity 597
Holt, A. G. J., and Yates, J. Means of reducing computing time in the fast-Fourier-transform method 330
Holt, D., and Coldrick, J. R. (See Coldrick)
Hop Duong Ba. General orthogonality relation for waveguide containing bianisotropic materials 52
Horn, lens-corrected conical scalar, radiation pattern of a. P. J. B. Clarricoats and P. K. Saha 592
Horns, radiation from wide-flare-angle scalar. P. J. B. Clarricoats and P. K. Saha 376
Hornsby, J. S. and Gopinath, A. Fourier analysis of a dielectric-loaded waveguide with a micro-strip line 265
Hot-electron microwave incremental conductivity of n type InSb. D. Mukhopadhyay and B. R. Nag 359
Howson, D. P. Minimum loss of a general broadband mixer 123
Hoyaux, M. F., and Riemersma, H. Influence of a longitudinal magnetic field on the cathodic voltage drop of a low-current arc 474
Huckle, P. R., and Masterman, P. H. Analysis of a rectangular waveguide junction incorporating a row of rectangular posts 559
Hughes, J. J., Napoli, L. S., and Reichert, W. F. Novel technique for measuring the Q factor of thin-film lumped element at microwave frequencies 535
Hulme, K. F., Davies, P. H., and Cound, V. M. Optimum longitudinal electro-optic effect in oblique-cut lithium-niobate plates 171
Errata 325
Hummels, D. R. Phase filter, an untested f.m. demodulator 720
Humphryes, R. F., and Ash, E. A. Acoustic bulk-surface-wave transducer 175
Hurtig, G., III, and Mitra, S. K. (See Mitra)
Hurwitz-Hermite and Hermite-Bilharz links using matrix multiplication. P. C. Parks 55
Hurwitz polynomial, real dominant zero of a. M. Uruski 334
Hybrid computers, logic: an essential operator. I. Aleksander 443
Hybrid p.c.m.–an experimental video system. P. C. J. Hill 352
Hydrogen masers, efficiency of a single-hyperfine-state selector for. C. Audoin, M. Desaintfuscien, P. Petit and J. P. Schermann 292
Hyperabrupt junction varactor characteristics, method dealing with the experimental determination of the. J. Bajon, J. C. Hoffman and J. R. Hait 132

I

I.C. fast parallel multiplier, suggestion for an. R. De Mori 50
Errata 109
I.F. filters, transmittance-peaked, transient frequency response of, with application to null-zone detection. N. J. Sullivan and A. G. Heaton 423
IMPATT-diode f.m. noise, Q dependence of. W. Harth and G. Ulrich 7
IMPATT-diode oscillators, output spectrum of. M. T. Vlaardingerbroek 521
IMPATT diodes, batch fabrication of integral heat-sink. A. M. Cowley and R. A. Zettler 693
IMPATT diodes below the transit-time frequency, high-efficiency continuous oscillations in silicon. I. Thomson 229
IMPATT diodes, silicon planar, c.w. anomalous-mode operation in. R. H. De Boise and P. W. Shackle 232
IMPATT oscillator circuit, high-efficiency self-pulsed. P. W. Shackle 395
IMPATT oscillators, modulated, thermal effects in. G. Weidmann and H. J. Thaler 92
Iizuka, K. Microwave holograms and microwave reconstruction 26
Image theory of a quasistatic magnetic dipole over a dissipative half space. J. R. Wait 281
Immittance synthesis from real-part specification, transformerless r.p. G. Martinelli 247
Impact ionisation, relaxation oscillations due to, in epitaxial sheet-type Gunn oscillators. G. A. Acket and J. J. Scheer 160
Impedance-measuring method. J. M. Diamond 239
Impedance transformer/directional coupler, 2-branch stripline, design equations for a. L. F. Lind 495
Implementation of Turing machines as finite automata. D. W. Lewin 616
Implementing an error-locating code. A. Potton 121
Improved method of analysing nonlinear electrical networks. T. B. M. Neill 13
Improved method of measurement of transient load angle. J. L. T. Exon 428
Improved method of measuring the load angle of synchronous machines. H. G. Jänsch and I. R. Smith 433
Improved method of solution of 2-point boundary-value problems arising in optimal control. A. Griffin 532
Improved self-tuning filter for low frequencies. P. C. Majhee and K. P. Rajappan 116
Improved technique for voltage measurement in the scanning-electron microscope. J. P. Fleming and E. W. Ward 435
Improvements in efficiency and tunability of Gunn oscillators by dielectric-surface loading. S. Kataoka, H. Tateno and M. Kawashima 491
Impulse generator, high-voltage, charging time of a. G. W. Swift 534
Induced spiking in an ammonia-maser oscillator. D. C. Lainé and W. S. Bardo 688
Influence de la réduction de mobilité due au champ transversal sur les caractéristiques des transistors m.o.s. (Influence on the characteristics of m.o.s. transistors of the mobility reduction due to a transverse electric field) P. Rossel 604
Influence of a longitudinal magnetic field on the cathodic voltage drop of a low-current arc. M. F. Hoyaux and H. Riemersma 474
Influence of circuit parameters on Gunn-oscillator performance. H. Pollmann, R. W. H. Engelmann and B. G. Bosch 492
Influence of clipping during signal detection by crosscorrelation method. S. Braun 440
Influence of second-harmonic frequency termination of Gunn-oscillator performance. W. Frey, H. Pollmann, R. W. Engelmann and B. G. Bosch 691
Influence on the characteristics of m.o.s. transistors of the mobility reduction due to a transverse electric field. P. Rossel 604
Information storage, electron-beam deflection and registration for. H. R. Edmunds and R. D. Pringle 479
Inhomogeneous ground surface, radially, fields of electric dipole on. J. R. Wait and K. P. Spies 478
Initial time constants of the Gunn-domain space-charge growth. J. Pokorny 452
Input-impedance characteristics of an antenna in a rectangular waveguide, experimental investigation of the. M. J. Al-Hakkak 513
Input impedance of a short antenna in a warm plasma driven from a coaxial air line. D. T. Nguyen 33
Input synthesis for minimum covariance state and parameter estimation. G. G. Goodwin 539
InSb at 77°K, microwave incremental conductivity of, in the presence of high steady electric field. D. Mukhopadhyay and B. R. Nag 20
InSb enhanced by Doppler-shifted acoustic cyclotron resonance, microwave emission from *n* type. E. Voges 372
InSb, hot-electron microwave incremental conductivity of n type. D. Mukhopadhyay and B. R. Nag 359
Integratable electronic realisation of a new form of ring modulator. A. W. Keen 668
Intrinsic compensation of sidelobes in a dispersive acoustic delay line. P. Hartemann and E. Dieulesaint 219
Investigation of waveguide-below-cutoff resonators for solid-state active devices. F. Ivaneck, M. Shyam and V. G. K. Reddi 214
Ion implanation, electrical characteristics of p type germanium layers doped by. K. C. Jones and P. R. C. Stevens 499
Ion-implantation profile control, summation of Gaussians for. R. M. Allen 111
Ionisation coefficients in gases, evaluating the secondary, using concentric coaxial electrodes. R. Hackam 346
Ionisation rates of electrons, field dependence of. S. Ahmad and W. S. Khokle 536
Ionosphere, polarisation of waves reflected from the. P. Knight 389
Ionospheric-communication system, pseudonoise. P. J. Cabion and P. V. Volckman 299
Ishii, T. K., and Moldovan, P. K. Notched stripline resonator 439
Iterative array for preprocessing of hand-printed characters. J. Chalmers and A. Stein 431
Iterative procedure for determining the best control-weighting matrix. M. A. Hassan 441
Iterative scheme for 1- and 2- dimensional d.c. transistor simulation. J. W. Slotboom 677
Itoh, T., Yamashita, E., and Mittra, R. (See Yamashita)
Ivanek, F., Shyam, M., and Reddi, V. G. K. Investigation of waveguide-below-cutoff resonators for solid-state active devices 214
Izadpanah, S. H., and Hartnagel, H. L. Memory loop with Gunn-effect pulse diodes 53

J

J band (12.4-18GHz) Gunn-effect oscillators, pulsed. A. L. Edridge, F. A. Myers, B. J. Davidson and J. C. Bass 103
Jackson, R. D., Fallside, F., and Goodman, C. J. (See Fallside
Jacobs, O. L. R., and Shering, G. C. Stability of a sinusoidal-perturbation extremal-control system 146
Jakobschuk, A. Graphical simplification of switching functions with more than four variables 566
James, D. J. G. Stability of a sinusoidal-perturbation extremal-control system 220
James, J. R., and Longdon, L. W. Calculation of radiation patterns 567
James, J. R. Leaky waves on a dielectric rod 252
Jänsch, H. G., and Smith, I. R. Improved method of measuring the load angle of synchronous machines 433
Jänsch, H.G., and Smith, I.R. Linearly scaled power-factor meters employing solid-state switching circuits 698
Jefferson, C. M., and Deeley, E. M. (See Deeley)
Jenkin, L. R. Analogue-digital-convertor modification giving a four-times speed gain 274
Jeuken, M. E. J., and Lambrechtse, C. W. Small corrugated conical-horn antenna with wide flare angle 489
Jeuken, M. E. J. Experimental radiation pattern of the corrugated conical-horn antenna with small flare angle 484
Johnston, R. H. Optimised frequency multipliers using an ideal step-recovery diode without idlers 136
Jones, B. F., and Bolton, R. M. G. (See Bolton)
Jones, K. C., and Stevens, P. R. C. Electrical characteristics of p type germanium layers doped by ion implantation 499
Junction transistor, 2-port impedance parameters of the. G. T. Wright 375

K

Kak, A. C. Realisability of uniform aperture distributions 233
Kak, S. C. Zero-crossing information for signal reconstruction 645
Kalman's criterion of state controllability, new proof for. H. M. Power 621
Kaneki, T. Analysis of linear microstrip using an arbitrary ferromagnetic substance as the substrate 463
Kano, T., and Heaton, A. G. High-resolution laser interferometer for measurement of electron density in transient plasma 413
Kano, T., Pal, D. K., and Heaton, A. G. (See Heaton)
Karnaugh maps, inverse, in realisation of logic functions, use of. F. C. Evans 537
Errata 670
Kashyap, S. C., and Hamid, M. A. K. Perturbation analysis in dielectric-loaded waveguides 140
Kataoka, S., and Kawashima, M. (See Kawashima)

Kataoka, S., Tateno, H., and Kawashima, M. Improvements in efficiency and tunability of Gunn oscillators by dielectric-surface loading 491
Kataoka, S., Tateno, H., and Kawashima, M. Observation of current instabilities in a dielectric-surface-loaded n type GaAs bulk element 114
Kataoka, S., Tateno, H., and Kawashima, M. Suppression of travelling high-field-domain mode oscillations in GaAs by dielectric surface loading 48
Kavanagh, R. J. Fourier analysis of pseudorandom binary sequences 173
Kawashima, M., and Kataoka, S. Observation of multiple high-field domains in a dielectric-surface-loaded GaAs bulk element 455
Kawashima, M., Kataoka, S., and Tateno, H. (See Kataoka)
Keen, A. W., and Glover, J. L. Orthogonal decomposition of the 2-port network 515
Errata 670
Keen, A. W. Integratable electronic realisation of a new form of ring modulator 668
Kendall, A. J., and Pattenden, J. H. Computation of electric-field configurations in anisotropic electro-optic crystals 446
Kharadly, M. M. Z., and Chambers, B. (See Chambers)
Khokle, W. S., and Ahmad, S. (See Ahmad)
King, J. J., and O'Canainn, T. Optimum pole positions for Laguerre-function models 601
King, P. G. R., Shersby-Harvie, R. B. R., and Boot, H. A. H. (See Boot)
King, R. W. Considerations in the design of a model propagation path to study obstacle diffraction 234
Kishan Rao, K., and Venkateswaran, S. Equivalent circuit of transistor mixer 649
Knight, P. Polarisation of waves reflected from the ionosphere 389
Knott, E. F. Laboratory method of measuring the phase of a backscatter signal 667
Koblinger, L., and Székely, V. (See Székely)
Koetser, H. Subnanosecond pulse coupling of an He-Ne laser 304
Kooi, P. S., and Walsh, D. Harmonic generation using Gunn diodes 159
Krairojananan, T., and Redwood, M. Piezoelectric generation and detection of ultrasonic surface waves by interdigital electrodes: an equivalent circuit 134
Kretzschmar, J. G. Cutoff frequency of the $TM_{C_{11}}$ mode in hollow conducting elliptical waveguide 192
Kretzschmar, J. G. Difference between the TM_{11} mode in a circular and elliptical waveguide 602
Krikorian, J. S., Jun., and Bickart, T. A. Contraction-mapping fixed-point theorem and finite-time stability 157
Kuno, H. J., Reynolds, J. F., and Berson, B. E. Push-pull operation of transferred-electron oscillators 178
Kuno, H. J. Self-pumped parametric amplification with GaAs transferred-electron devices 232

L

L.S.A. gallium-arsenide diode, analogue-computer model for a. R. R. Mueller and B. Nitz 498
Laboratory method of measuring the phase of a backscatter signal E. F. Knott. 667
Lacey, S. D., Large, L. N., and Wright, D. R. Cathodoluminescence of oxygen-implanted zinc-doped gallium phosphide 203
Laguerre-functions models, optimum pole positions for. J. J. King and T. O'Canainn 601
Lahiri, S. K., and Nag, B. R. Voltage and conductivity dependence of the frequency of an acoustoelectric oscillator 170
Lainé, D. C., and Bardo, W. S. Induced spiking in an ammonia-maser oscillator 688
Lainé, D. C., and Bardo, W. S. Transients in an ammonia-maser oscillator 323
Lambrechtse, C. W., and Jeuken, M. E. J. (See Jeuken)
Lane, J. A., and Owolabi, I. E. Anomalous propagation of v.h.f. radio links in the United Kingdom 704
Laplace transform, numerical inversion of. V. Zakian 120
Laplace transformation, fast inverse, of functions containing one multiple pole. F. L. N-Nagy and M. N. Al-Tikriti 547
Errata 670
Laplace transforms, rational, partial-fraction expansion and inversion of. R. Piessens 99
Laplace's equation, determination of the optimum successive overrelaxation parameter for the solution of. J. S. Pearson and J. A. Harrison 558
Large, L. N., Wright, D. R., and Lacey, S. D. (See Lacey)
Larrabee, R. D., Steele, M. C., and Califano, F. P. (See Steele)
Laser, carbon-dioxide, with high power per unit length. A. Crocker and M. S. Wills 63
Laser, diode, coupled to an external cavity, self modulation at gigahertz frequencies of a. R. F. Broom 571
Laser interferometer, high-resolution, for measurement of electron density in transient plasma. T. Kano and A. G. Heaton 413
Laser-interferometer measurements, confirmation of abnormally high electron density in a transient mercury-vapour plasma by. A. G. Heaton, T. Kano and D. K. Pal 295
Laser plasma, CO_2, mean electron energy in a. D. C. Tyte 447
Laser, ring, bias using reciprocal optical components. H. A. H. Boot, P. G. R. King and R. B. R. Shersby-Harvie 347
Laser, subnanosecond pulse coupling of an He-Ne. H. Koetser 304
Lasers, transverse-mode selection of rotating-mirror Q switched. D. H. Arnold and D. C. Hanna 354
Leach, D. P., and Chan, S. P. RC:RL decomposition of a fourth-order polynomial 716
Leaky waves on a dielectric rod. J. Arnbak 41
Leaky waves on a dielectric rod. J. R. James 252
Learning machine, method for location of clusters of patterns to initialise a. B. G. Batchelor and B. R. Wilkins 481
Lee, M. R., and Holt, A. G. J. (See Holt)
Lepschy, A., and Todero, F. Upper bounds for the variation of sampled signals 126
Leturcq, P., and Rey, G. Sur une formulation unifiée des mécanismes de focalisation et de défocalisation dans les transistors plans (Generalised approach of pinch-in and crowding effects in planar transistors) 355
Lever, K. V. Generalised-function representations of nonlinear devices with Gaussian inputs 487
Errata 630
Lewin, D. W. Design of asynchronous logic with unconstrained input variation 320
Lewin, D. W. Implementation of Turing machines as finite automata 616
Lewin, L. Equivalent circuit of an evanescent-mode inductive element 415
Lewin, L. Stability of bulk negative-resistance material 184
Lewis, D. G., and Austin, W. E. Measurement of rotor load angle of synchronous machines 113
Lichtenstein, N., and Rauch, S. Effect of incidental modulation in systems employing pseudorandom codes 4
Liew, W. M. S., and Macario, R. C. V. Systematic method of calculating the amplitude spectra of waveform sequences 155
Lin, S. H., and Clarricoats, P. J. B. (See Clarricoats)
Limiting sets of time-varying passive networks. Ruey-Wen Liu 554
Lind, L. F. Design equations for a 2-branch stripline directional coupler/impedance transformer 495
Line feed, a new form of, for spherical reflector aerials, sectoral hoghorn: T. Pratt and E. D. R. Shearman 1
Line systems, calculation of transients on unsymmetrical multiconductor. R. Murray-Shelley 316
Line transmission, binary code suitable for. J. M. Griffiths 79
Linear sequences, delayed versions of. A. C. Davies 211
Linear system, second-order sensitivity analysis of a. T. B. M. Neill 211
Linear time-variable systems, design of. E. Freund 343
Linear uniform codes. S. M. Reddy 71
Linearly scaled power-factor meters employing solid-state switching circuits. H. G. Jänsch and I. R. Smith 698
Liquid crystals, visualisation of acoustic beams using. J. F. Havlice 477
Load angle of synchronous machines, improved method of measuring the. H. G. Jänsch and I. R. Smith 433
Load angle, transient, improved method of measurement of. J. L. T. Exon 428
Logic, design of asynchronous, with unconstrained input variation, D. W. Lewin 320
Logic functions, use of inverse Karnaugh maps in realisation of. F. C. Evans 537
Errata 670
Logic hybrid computers: an essential operator. I. Aleksander 443
Logical array for obtaining the square of a binary number, cellular. K. J. Dean 370
Loop coupling to a periodic dipole array. K. G. Balmain and S. W. Mikhail 228
Longdon, L. W., and James, J. R. (See James)
López de la Fuente, J. Quasistationary noise in resistors 263
Lord, W., and Roberge, R. M. Effect of viscous damping on Pasek's method for determining d. c. servomotor time constants 57
Losses in coaxial cables, new engineering approach to the calculation of. H. M. Barlow 706
Low-current arc, influence of a longitudinal magnetic field on the cathodic voltage drop of a. M. F. Hoyaux and H. Riemersma 474
Low-frequency negative resistance of X band Gunn diodes. G. A. Brunt 151
Low-frequency operation of avalanche diodes under large-signal conditions. B. Culshaw 583
Lowpass digital filters using least-squared-error design. J. B. Naylor and J. M. Townsend 647
Low-sensitivity easily trimmed standard building block for active RC filters. D. Åkerberg and K. Mossberg 528
Lucas, R. C., and Mantena, N. R. (See Mantena)
Luenberger observers, design algorithms for minimal-order. M. M. Newmann 390
Luke, D. McG., Ryan, W. D., and McGuffin, R. W. (See McGuffin)
Lundquist, R., and Chen, K. M. Measurement of self and mutual impedances of two coupled cylindrical antennas in a hot plasma 472
Lundstrom, K. I. Calculation of growth rates in oscillators 319
Luque, A., Ruiz-Perez, J. M., and Segovia R. New analysis of f.e.t. saturation 420
Lyapunov function having the stability matrix of Hermite in its time derivative. P. C. Parks 608
Lyapunov matrix equation, solution of the, with a diagonal input matrix, obtained without matrix inversion. H. M. Power 135
Lyapunov's direct method for a class of partial differential equations, functional spaces in. Dahsoong Yu 357

M

M.H.D. induction generator, field analysis for the cylindrical. E. Young, Jun. 659
M.I.S. capacitance in heavy inversion. D. J. Esteve and J. J. Simonne 194
M.I.S. field-effect transistors, experimental study of flicker noise in. N. R. Mantena and R. C. Lucas 607
M.O.S. transistor for computer-aided design-and-analysis programs, simple charge-controlled transient model of the. R. W. McGuffin, D. McG. Luke and W. D. Ryan 638
M.O.S. transistor, two-dimensional analysis of double-gate. G. A. Armstrong, J. A. Magowan, and D. J. Burt 633
M.O.S. transistors, influence on the characteristics of, of the mobility reduction due to a transverse electric field. P. Rossel 604
M.O.S.T., two-dimensional solution of the d.c. characteristics for the. G. A. Armstrong, J. A. Magowan, and W. D. Ryan 406
M.O.S.T.S, substrate doping on the gain of, simple expressions for the effect of. J. M. Shannon 181
m sequences, binary, drift elimination in system identification using. C. J. Macleod 112
m sequences, generation of multiple pseudorandom point processes from. J. M. Taylor 28
m sequences, probability-density functions of digitally filtered. A. C. Davies 222
m sequences, summed, forms of probability-density functions obtainable from. T. J. Healy 624
MacA. Thomas, B. Bandwidth properties of corrugated conical horns 561
Errata 670
Macario, R. C. V., and Liew, W. M. S. (See Liew)
Macario, R. C. V. Step response of a transmission line including losses 77
Macey, R. A., and Fallside, F. (See Fallside)
McGuffin, R. W., Luke, D. McG., and Ryan, W. D. Simple charge-controlled transient model of the m.o.s. transistor for computer-aided design-and-analysis programs 638
McLean, K. J. Metal-glass contacts in high electric fields 72
Macleod, C. J. Drift elimination in system identification using binary m sequences 112
Macleod, C. J. Parameter estimation using pseudorandom binary sequences 35
Macleod, I. D. G. Floating-drive circuit for f.e.t. switches 515

McPhun, M. K. Comparison of TEM with waveguide-below-cutoff resonators 425
McStay, J., and Helszajn, J. (See Helszajn)
Magnetic dipole, quasistatic, over a dissipative half space, image theory of a. J. R. Wait 281
Magnetoelastic surface wave in ferrites. J. P. Parekh 322
Magnetoelastic surface wave, propagation characteristics of. J. P. Parekh 540
Magnetostatic dipolar propagation in a thin ferromagnet slab. J. P. Parekh 642
Magnetostatic surface modes of a y.i.g. slab. M. Sparks 618
Magowan, J. A., Burt, D. J., and Armstrong, G. A. (See Armstrong)
Magowan, J. A., Ryan, W. D., and Armstrong, G. A. (See Armstrong)
Maines, J. D., Paige, E. G. S., Saunders, A. F., and Young, A. S. Simple technique for the accurate determination of delay-time variations in acoustic-surface-wave structures 678
Majhee, P. C., and Rajappan, K. P. Improved self-tuning filter for low frequencies 116
Malik, N. R., and Ardon, M. T. (See Ardon)
Man, F. T Evaluation of the integral of exponentially weighted squared errors 280
Mantena, N. R., and Lucas, R. C. Experimental study of flicker noise in m.i.s. field-effect transistors 607
Map, h.f. ionospheric radar ground-scatter, showing land-sea boundaries by a spectral-separation technique. J.C. Blair, L. L. Melanson and L. H. Tveten 75
Marchetti, F., and de Santis, P. (See de Santis)
Marcou, J., Papiernik, A., and Wartski, L. Superposition and separation of a u.h.f. wave and a fast rise-time pulse 555
Marshall, F. G. Equivalent circuit for the acoustoelectric oscillator 581
Martinelli, G. Transformerless r.p. immittance synthesis from real-part specification 247
Maser, HCN, short-term frequency stability of the. D. W. E. Fuller, J. Hines and B. Compton 448
Masers, hydrogen, efficiency of a single-hyperfine-state selector for. C. Audoin, M. Desaintfuscien, P. Petit and J. P. Schermann 292
Mason, I. M. Acoustoelectric interactions in cadmium-sulphide thin films 519
Masterman, P. H., Clarricoats, P. J. B., and Hannaford, C. D. Computer method of solving waveguide-iris problems 23
Masterman, P. H., and Huckle, P. R. (See Huckle)
Masterman, R. H. Cycloconvertor amplifier allowing wide variation in load impedance 306
Mathieu functions, stability of damped. A. J. Pritchard 700
Matrices, large, algorithm for inversion of, by iteration. A. Wirgin 627
Matrix multiplication, Hermite-Hurwitz and Hermite-Bilharz links using. P. C. Parks 55
Mau, A., Stein, A., Thomson. L., Youssef, T., and Buykes, J. (See Buykes)
Maximal-length codes, algorithms for majority-logic check equations of. N. Q. Duc and L. V. Skattebol 577
Meade, M. L., and Faulkner, E. A. (See Faulkner)
Mean electron energy in a CO_2 laser plasma. D. C. Tyte 447
Means of reducing computing time in the fast-Fourier-transform method. A. G. J. Holt and J. Yates 330
Measurement of corona current density at an electrode boundary. O. J. Tassicker 285
Measurement of ferrite parameters at microwave frequencies. F. W. Schott and T. F. Tao 84
Measurement of rotor load angle of synchronous machines. D. G. Lewis and W. E. Austin 113
Measurement of self and mutual impedances of two coupled cylindrical antennas in a hot plasma. R. Lundquist and K. M. Chen 472
Measurement of the coupling efficiency between dielectric-loaded rectangular waveguides and dielectric-loaded trough waveguides. N. B. Saddler and J. A. Staniforth 131
Measurement techniques in microstrip. P. Troughton 25
Melanson, L. L., Tveten, L. H., and Blair, J. C. (See Blair)
Memon, A. R. Determination of pulse-transfer function of a digital filter from prescribed partial requirements 465
Memory element, rectangular-pulse generator and, with a Gunn diode. D. Boccon-Gibod 91
Memory loop with Gunn-effect pulse diodes. S. H. Izadpanah and H. L. Hartnagel 53
Mentzoni, M. H., and Donohoe, J. Dynamics of pulsed-microwave breakdown in a nonuniform field 21
Mercury-vapour plasma, transient, correlation of slow rates of rise of current with times to pinch in. A. G. Heaton and D. K. Pal 249
Metal-glass contacts in high electric fields. K. J. McLean 72
Method dealing with the experimental determination of the hyperabrupt junction varactor characteristics (Sur une méthode de détermination expérimentale des caractéristiques d'un varactor à jonction hyperabrupte. J. Bajon, J. C. Hoffman and J. R. Hait 132
Method for location of clusters of patterns to initialise a learning machine. B. G. Batchelor and B. R. Wilkins 481
Method of measuring time delay. G. G. Gouriet 438
Errata 570
Microstrip, circular resonant structures on. J. Watkins 524
Microstrip, high-efficiency avalanche mode in. H. J. Pratt 467
Microstrip impedance with strip thickness, variation of. M. A. R. Gunston and J. R. Weale 697
Microstrip line, Fourier analysis of a dielectric-loaded waveguide with a. J. S. Horsnby and A. Gopinath 265
Microstrip, linear, using an arbitrary ferro-magnetic substance as the substrate, analysis of. T. Kaneki 463
Microstrip, measurement techniques in. P. Troughton 25
Microstrip on alumina substrates, dispersive effects in. S. Arnold 673
Microstrip, parameters of. J. A. Weiss and T. G. Bryant 517
Microstrip transmission line, external Q_e of an ellipsoidally shaped ferrimagnetic resonator coupled to strip and. S. Gaglione and M. Dydyk 640
Microwave antenna, periodically modulated dielectrically filled waveguide as a. P. Balling 508
Microwave breakdown, pulsed, dynamics of, in a nonuniform field. M. H. Mentzoni and J. Donohoe 21
Microwave circuit, log-periodic, performance of two types of. B. G. Evans 522
Microwave devices, optimum semiconductor for. W. Fawcett, C. Hilsum and H. D. Rees 313
Microwave emission and acoustoelectric excitation in differently orientated n InSb. F. Seifert, L. Palmetshofer and C. Schatzl 288
Microwave emission from n type InSb enhanced by Doppler-shifted acoustic cyclotron resonance E. Voges 372
Microwave emission from ntype InSb, observation of Doppler-shifted acoustic cyclotron resonance in the frequency spectrum of the. E. Voges 450
Microwave-frequency synthetisers R. C. Hamer 156
Microwave holograms and microwave reconstruction. K. Iizuka 26
Microwave incremental conductivity of InSb at 77°K in the presence of high steady electric field. D. Mukhopadhyay and B. R. Nag 20
Microwave incremental conductivity of n type InSb, hot-electron. D. Mukhopadhyay and B. R. Nag 359
Microwave locating reflectometer. P. I. Somlo and D. L. Hollway 468
Microwave mixers, signal-compression performance of Schottky-barrier diodes in. R. W. Yell. 360
Microwave reconstruction, microwave holograms and. K. Iizuka 26
Mikhail, S. W., and Balmain, K. G. (See Balmain)
Mikula, J. Signal-flow-graph gain with respect to the general node of a graph 382
Millar, R. F. Rayleigh hypothesis in scattering problems 416
Millea, N. Y-Δ transformation theorem for reliability-function calculations with application to nonseparable structures 661
Miller, A. K. H. Controlled wide-range quadrature phase-shift network 588
Miller, A. K. H. New type of time-varying octave filter 310
Miller, M. R. Stability of p.c.m.-oscillator synchronisation systems with sampled error signals 183
Minimal indices in dynamical systems. H. H. Rosenbrock 658
Minimum loss of a general broadband mixer. D. P. Howson 123
Mismatched linear active 2-ports. S. Venkateswaran and V. P. Namjoshi 586
Mitchell, R. F., Willis, W., and Redwood, M. Electrode interactions in acoustic surface-wave transducers 456
Mitra, S. K., and Hurtig, G., III. Theorem on positive real functions having only negative real critical frequencies 611
Mittra, R., Itoh, T., and Yamashita, E. (See Yamashita)
Miyahara, M. Highly stable RC active filters 401
Mixer, general broadband, minimum loss of a. D. P. Howson 123
Mode coefficients in a sectoral horn by ray theory. M. A. K. Hamid 95
Mode uncoupling, criterion for, in oblique-incidence scattering from radially inhomogeneous cylinders. R. G. Parkinson 182
Modification of the p.r.b.n. cross-correlation method to correct for the effect of nonlinearity. R. F. Brown 594
Modification to the receive-path waveguide feeder of Goonhilly aerial. N. E. Cartwright 240
Modified circuit model for the step-recovery diode to include nonzero transition time. P. W. C. Chilvers and K. Foster 345
Modulation disturbances in relex klystrons caused by ions and slow electrons. E. Seebald 255
Mohn, E. Regular pulsing of gallium-arsenide-diode laser 261
Mohsen, A., Hamid, M. A. K., and Robinson, J. E. (See Robinson)
Moiré fringes using the 'spinning-dipole' field-perturbation technique, simple microwave holograms and. D. N. Swingler and A. P. Anderson 314
Moldovan, P. K., and Ishii, T. K. (See Ishii)
Moore, A. D., and Heywood, D. R. (See Heywood)
Moore, J. B., and Moylan, P. J. (See Moylan)
Moore, J. B. Tolerance of nonlinearities in linear optimal regulators with integral feedback 409
Mossberg, K., and Åkerberg D. (See Åkerberg)
Mossberg, K., and Åkerberg, D. Accurate trimming of active RC filters by means of phase measurements 520
Mottram, A., Peaker, A. R., and Fisk, S. J. (See Peaker)
Moylan, P. J., and Moore, J. B. Optimal regulator with bounds on the derivative of the input 502
Mueller, R. R., and Nitz, B. Analogue-computer model for a gallium-arsenide l.s.a. diode 498
Errata 630
Mukhopadhyay, D., and Nag, B. R. Hot-electron microwave incremental conductivity of ntype InSb 359
Mukhopadhyay, D., and Nag, B. R. Microwave incremental conductivity of InSb at 77°K in the presence of high steady electric field 20
Multilevel-circuit design, adaptive-logic trees for use in. D. H. Green and P. W. Foulk 83
Multiloop systems, digital computation of frequency response of. J. R. Hewit 696
Multiple series operation of Gunn-effect oscillators. K. M. Baughan and F. A. Myers 371
Multiplex p.c.m. transmission, reframing statistics of. O. Brugia and M. Dècina 625
Multiplier, analogue, new feedback-stabilised. H. Brüggemann 86
Errata 670
Multiplier, i. c. fast parallel, suggestion for an. R. De Mori 50
Errata 109
Multiring-antenna arrays. E. Borchi and V. Cappellini 9
Multislit coupling structure of a confocal-mirror resonator, application of the sampling theorem to a. E. Yamashita, R. Mittra and T. Itoh 67
Multivariable positive-real functions, novel approach to synthesis of. N.K.Bose and A.M.Soliman 717
Multivariable systems, time-varying, decoupling and determination of the inverse for. E. Freund 73
Murata, T. Decomposition of time-varying LC elements and the state-space formulation 142
Murgatroyd, P. N. General least-squares program for fitting functions to data 701
Murray-Shelley, R. Approximation for the response of capacitively loaded transmission-line networks in the time domain 550
Murray-Shelley, R. Calculation of transients on unsymmetrical multiconductor line systems using the graphical method 316
Murti, V. G. K., and Natarajan, S. (See Natarajan)

Murti, V. G. K., and Rao, V. V B. (See Rao)
Murti, V. G. K., Rao, K. S., Rao, V. V. B., and Sankaran, P. (See Rao)
Mutually synchronised system, dynamic characteristics of a. T. Saito and H. Yasuda 153
Myers, F. A., and Baughan, K. M. (See Baughan)
Myers, F. A., Davidson, B. J., Bass, J. C., and Edridge, A. L. (See Edridge)

N

N-Nagy, F. L., and Al-Tikriti, M. N. Fast inverse Laplace transformation of functions containing one multiple pole 547
Errata 670
N-path filter sections with biquadratic transfer functions. W. Saraga 711
N-path filters in which the switched filters are not lowpass sections. G. P. Edwards 10
Nag, B. R., and Lahiri, S. K. (See Lahiri)
Nag, B. R., and Mukhopadhyay, D. (See Mukhopadhyay)
Nagrath, I. J., and Baheti, R. S. Stability of feedback systems containing a single monotonic nonlinearity 457
Namjoshi, V. P., and Venkateswaran, S. (See Venkateswaran)
Napoli, L. S., Reichert, W. F., and Hughes, J. J. (See Hughes)
Narayan, S. Y., and Sterzer, F. Stabilisation of transferred-electron amplifiers with large n.L products 30
Natarajan, S., and Murti, V. G. K. Realisation of transfer functions using one amplifier 458
Natural conduction and thermal-activation energy in chlorobenzene and bromobenzene. P. Prabhakara Rao and G. R. Govinda Raju 507
Naylor, J. B., and Townsend, J. M. Lowpass digital filters using least-squared-error design 647
Neely, P. L. Comment on improved method of solution of 2-port boundary-value problems arising in optimal control 708
Negative-differential-conductivity media, critical conductivity-length product for electromagnetic instability in. B. R. Chawla and D. J. Coleman, Jun. 31
Negative-impedance convertor, simple notch filter using a. M. A. Reddy and Y. G. Rao 665
Negative resistance, low-frequency, of X band Gunn diodes. G. A. Brunt 151
Neill, T. B. M. Comment on efficient method for the calculation of first- and second-order network sensitivities 483
Neill, T. B. M. Efficient evaluation of transient response for high-order systems of wide bandwidth 599
Neill, T. B. M. Generalisation of nodal and mesh analysis 365
Neill, T. B. M. Generalisation of the unstiffening process for stiff nonlinear systems 595
Neill, T. B. M. Improved method of analysing nonlinear electrical networks 13
Neill, T. B. M. Second-order sensitivity analysis of a linear system 211
Neill, T. B. M. Second-order sensitivity analysis of a nonlinear system 212
Neill, T. B. M. Unstiffening process for nonlinear electrical networks 272
Network, general rule for the compensation of the sensitivity of a, to its active devices. A. G. J. Holt and M. R. Lee 324
Network, second-derivative sensitivity, using the concept of the adjoint. G. A. Richards 398
Network sensitivities, comment on efficient method for the calculation of first- and second-order. T. B. M. Neill 483
Network sensitivities, efficient method for the calculation of first- and second-order. P. J. Goddard and R. Spence 351
Networks, comment on an improved method of analysing nonlinear electrical. D. R. Heywood and A. D. Moore 269
Networks, nonlinear electrical, improved method of analysing. T. B. M. Neill 13
Networks, unstiffening process for nonlinear electrical. T. B. M. Neill 272
New analysis of f.e.t. saturation. A. Luque, J. M. Ruiz-Perez and R. Segovia 420
New analysis tool for graphs. M. T. Ardon and N. R. Malik 399
New engineering approach to the calculation of losses in coaxial cables. H. M. Barlow 706
New equivalent-circuit approach to acoustoelectric amplification. C. Fischler and S. Yando 476
New equivalent circuit of the p-n junction in the frequency-multiplying mode. V. Biró 563
New feedback-stabilised analogue computer. H. Brüggemann 86
Errata 670
New principle for wideband mode coupling. A. L. Cullen and O. J. Davies 90
New proof for Kalman's criterion of state controllability. H. M. Power 621
New return difference. C. Acar 543
New technique for digital phase-shift control. A. L. Cullen 141
New type of time-varying octave filter. A. K. H. Miller 310
Newmann, M. M. Design algorithms for minimal-order Luenberger observers 390
Newton, B. H., Aitchison, C. S., and Corbey, C. D. (See Aitchison)
Nguyen, D. T. Input impedance of a short antenna in a warm plasma driven from a coaxial air line 33
Nichols, K. G. Program for selecting a tree of a connected network and for finding the corresponding F matrix 403
Nicoud, J. D. B.C.D. serial adder/subtractor 686
Nicoud, J. D. Decimal-binary conversion 294
Nightingale, C., and Holt, A. G. J. (See Holt)
Nightingale, J. M., and Stafford, M. (See Stafford)
Nitz, B., and Mueller, R. R. (See Mueller)
Nodal and mesh analysis, generalisation of. T. B. M. Neill 365
Noise figures, equivalence of the, of common-source and common-gate f.e.t. circuits. A. van der Ziel 161
Noise, IMPATT-diode f. m., Q dependence of. W. Harth and G. Ulrich 7
Noise in resistors, quasistationary, J. López de la Fuente 263
Noise, nonlinear frequency modulation by. T. S. George 396
Nonlinear a.c. channel, quasilinear analysis of a. D. P. Atherton and W. Fieguth 300
Nonlinear devices with Gaussian inputs, generalised function representations of. K. V. Lever 487
Errata 630
Nonlinear electrical networks, comment on an improved method of analysing. D. R. Heywood and A. D. Moore 269
Nonlinear electrical networks, improved method of analysing. T. B. M. Neill 13
Nonlinear electrical networks, unstiffening process for. T. B. M. Neill 272
Nonlinear frequency modulation by noise. T. S. George 396
Nonlinear networks, d.c. analysis of G. C. Bown 374
Nonlinear networks of arbitrary order of complexity, simple analysis method for a class of. A. G. J. Holt and C. Nightingale 597
Nonlinear resistance and capacitance, differentiating circuits with. F. Fallside and R. A. Macey 45
Nonlinear system, second-order sensitivity analysis of a. T. B. M. Neill 212
Nonlinear systems, first-order, governed by generalised Riccati partial-differential equation. B. V. Dasarathy 238
Nonlinear systems, multiplicative, general power-series description of. D. R. Ferguson 450
Nonlinear systems, stiff, generalisation of the unstiffening process for. T. B. M. Neill 595
Nonlinearity of Hall voltage. D. Schieber and M. S. Erlicki 78
Nonreciprocity in helicon crossed-coil 2-port. J. P. Parekh 293
Norbury, J. R., and Cleverley M. E. (See Cleverley)
Notch filter, simple, using a negative-impedance convertor. M.A.Reddy and Y. G. Rao 665
Notch filters, digital. A. G. Constantinides 198
Notched stripline resonator. T. K. Ishii and P. K. Moldovan 439
Novák, M. Algorithm for coefficients of stagger-tapered distributed RC networks 46
Novel approach to synthesis of multivariable positive-real functions. N. K. Bose and A. M. Soliman 717
Novel technique for measuring the Q factor of thin-film lumped elements at microwave frequencies. J. J. Hughes, L. S. Napoli and W. F. Reichert 535
Numerical analysis of forward and reverse bias potential distribution in a 2-dimensional p-n junction with applications to capacitance calculations. P. Dubock 236
Errata 278
Numerical calculations of the capacitance of linearly graded Si p-n junctions. W. Nuyts and R. J. Van Overstraeten 54
Errata 174
Numerical inversion of Laplace transform. V. Zakian 120
Nuyts, W., and Van Overstraeten, R. J. Numerical calculation of the capacitance of linearly graded Si p-n junctions 54
Errata 174
Nuyts, W., and Van Overstraeten, R. (See Van Overstraeten)

O

Oblique-incidence scattering, criterion for mode uncoupling in, from radially inhomogeneous cylinders. R. G. Parkinson 182
Observation of current instabilities in a dielectric-surface-loaded n type GaAs bulk element. S. Kataoka, H. Tateno, and M. Kawashima 114
Observation of Doppler-shifted acoustic cyclotron resonance in the frequency spectrum of the microwave emission from ntype InSb. E. Voges 450
Observation of faults in convertor bridges. C. E. Fernando 195
Observations of multiple high-field domains in a dielectric-surface-loaded GaAs bulk element. M. Kawashima and S. Kataoka 455
Obstacle diffraction, considerations in the design of a model propagation path to study. R. W. King 234
O'Canainn, T., and King, J. J. (See King)
Octave filter, new type of time-varying. A. K. H. Miller 310
Octave tuning and the effect of second-harmonic loading on avalanche-diode oscillators. R. A. Giblin, K. G. Hambleton and C. A. Tearle 361
O'Dell, T. H. Design of a pulse-current transformer. 369
O'Dell, T. H. Series operation of avalanche transistors 94
Omega navigational transmissions, phase variability of. J. Galejs 106
On state of chalcogenide glass switches. A. C. Warren 609
100mW c.w. Gunn diode. K. J. Harris 123
Operational-amplifier biquad, design formulas for active RC filters using. J. Tow 339
Optimal control, comment on improved method of solution of 2-port boundary value problems arising in. P. L. Neely 708
Optimal control, improved method of solution of 2-point boundary-value problems arising in. A. Griffin 532
Optimal regulator with bounds on the derivative of the input. P. J. Moylan and J. B. Moore 502
Optimal regulators with integral feedback, tolerance of nonlinearities in linear. J. B. Moore 409
Optimal systems, stability results for. B. D. O. Anderson 545
Optimisation of efficiency of shallow reflectors. V. T. Bao 6
Optimised frequency multipliers using an ideal step-recovery diode without idlers. R. H. Johnston 136
Optimum accelerating factor for s.o.r. solutions of domains containing $\partial\phi/\partial\eta = 0$ boundary conditions. G. A. Armstrong, J. A. Magowan and W. D. Ryan 69
Optimum distributed-parameter Butterworth-filter type as a limiting case of the optimum Chebyshev approximation. G. R. Hoffman 60
Optimum longitudinal electro-optic effect in oblique-cut lithium-niobate plates. K. F. Hulme, P. H. Davies and V. M. Cound 171
Errata 325
Optimum pole positions for Laguerre-function models. J. J. King and T. O'Canainn 601
Optimum semiconductor for microwave devices. W. Fawcett, C. Hilsum and H. D. Rees 313
Orthogonal decomposition of the 2-port network. A. W. Keen and J. L. Glover 515
Errata 670
Orthogonality relation, general, for waveguide containing bianisotropic materials. Duong Ba Hop 52
Oscillating CdS platelets, circuit behaviour of. A. Gopinath and H. Davies 42
Oscillating circuit using nonlinear inductance. A. Y. Spasov 241
Oscillations, travelling high-field-domain mode, suppression of, in GaAs by dielectric surface loading. S. Kataoka, H. Tateno and M. Kawashima 48

Oscillator, CdS acoustoelectric, effect of resonant load on moding of a. A. K. Sharma, M. G. F. Wilson and E. A. Ash 2
Oscillator circuit with hard excitation, analysis of. G. K. E. Budzyński 297
Oscillator, diode, proposed high-efficiency. P. Penfield, Jun. 387
Oscillator, transients in an ammonia-maser. D. C. Lainé and W. S. Bardo 323
Oscillators, calculation of growth rates in. K. I. Lundstrom 319
Oscillators, Gunn-effect, pulsed J band (12.4-18GHz). A. L. Edridge, F. A. Myers, B. J. Davidson and J. C. Bass 103
Oscillators, IMPATT-diode, output spectrum of. M. T. Vlaardingerbroek 521
Oscillators, modulated IMPATT, thermal effects in. G. Weidmann and H. J. Thaler 92
Output saturation in GaP red lamps. B. L. H. Wilson and H. C. Wright 412
Output spectrum of IMPATT-diode oscillators. M. T. Vlaardingerbroek 521
Overmoded waveguide, technique for the measurement of the percentage of power in the single spurious mode of an. N. B. Saddler and J. A. Staniforth 204
Overrelaxation parameter, optimum successive, determination of the, for the solution of Laplace's equation. J. S. Pearson and J. A. Harrison 558
Owolabi, I.E.,and Lane, J.A. (See Lane)

P

P.C.M. multiplex transmission, re-framing statistics of. O. Brugia and M. Dècina 625
P.C.M.-oscillator synchronisation systems with sampled error signals, stability of. M. R. Miller 183
p-level sequences with primitive autocorrelation functions. H. A. Barker 531
p-n junction in the frequency-multiplying mode, new equivalent circuit of the. V. Birő 563
p-n junction, numerical analysis of forward and reverse bias potential distribution in a 2-dimensional, with applications to capacitance calculations. P. Dubock 236
Errata 278
p-n junctions, linearly graded Si, numerical calculations of the capacitance of. W. Nuyts and R. Overstraeten 54
Errata 174
P.R.B.N. crosscorrelation method to correct for the effect of nonlinearity, modification of the. R. F. Brown 594
P. R. B. N. sequences, maximally orthogonal, error-free identification using. G. C. Goodwin and R. D. Bell 453
Pai, M. A., and Varadarajan, M. S. Combined pulse-modulation scheme for feedback systems 436
Paige, E.G.S.,Saunders,A.F., Young,A.S., and Maines, J. D. (See Maines)
Pal, D. K., and Heaton, A. G. (See Heaton)
Pal, D. K., Heaton, A. G., and Kano, T. (See Heaton)
Pal, D. K., Teich, T. H., and Heaton, A. G. (See Heaton)
Pal signals, demodulation of, with two uncritical delay lines. L. Verhoeven 344
Paladin, G. and Dècina, M. (See Dècina)
Palmetshofer, L., Schatzl, C., and Seifert, F. (See Seifert)
Pant, H. C., Dastidar, P. R., and Ravindran, K. (See Dastidar)
Papiernik, A., Wartski, L., and Marcou, J. (See Marcou)
Parabolic reflectors, beam-scanning primary feed for. A. W. Rudge and M. J. Withers 39
Parabolic reflectors, focal-plane field distribution of. A. W. Rudge 510
Parameter estimation, minimum covariance state and input synthesis for. G. C. Goodwin 539
Parameter estimation using pseudorandom binary sequences. C. J. Macleod 35
Parameters of microstrip. J. A. Weiss and T. G. Bryant 517
Parametric amplification, self-pumped, with GaAs transferred-electron devices. H. J. Kuno 232
Parametric amplifier, phase-locked degenerate. P. A. Watson and M. E. Butcher 392
Parametric amplifier, self-pumped Gunn-effect. C. S. Aitchison, C. D. Corbey and B. H. Newton 36
Parametric amplifiers, active reactance compensation of. C. S. Aitchison and J. C. Williams 139
Parametric amplifiers, gain stabilisation of. J. C. Vokes and K. R. Heath 89
Parametric conversion in the frequencies of acoustic domains in CdS, evidence of. G. I. Robertson and M. B. N. Butler 529
Parametrically generated high-efficiency low-frequency oscillations in avalanche diodes. M. I. Grace 163
Parekh, J. P. Magnetostatic dipolar propagation in a thin ferromagnet slab 642
Parekh, J. P. Magnetoelastic surface wave in ferrites 322
Parekh, J. P. Nonreciprocity in helicon crossed-coil 2-port 293
Parekh, J. P. Propagation characteristics of magnetoelastic surface wave 540
Parkinson, R. G. Criterion for mode uncoupling in oblique-incidence scattering from radially inhomogeneous cylinders 182
Parks, P. C. Hermite-Hurwitz and Hermite-Bilharz links using matrix multiplication 55
Parks, P. C. Lyapunov function having the stability matrix of Hermite in its time derivative 608
Partial-fraction expansion and inversion of rational Laplace transforms. R. Piessens 99
Pasek's method for determining d.c. servomotor time constants, effect of viscous damping on. W. Lord and R. M. Roberge 57
Passive networks, time-varying, limiting sets of. Liu Ruey-Wen 554
Pattenden, J. H., and Kendall, A. J. (See Kendall)
Payne, C. D., Prewer, B. E., and Becklake, E. J. S. (See Becklake)
Peaker, A. R., Fisk, S. J., and Mottram, A. Efficiency peaking in red-light-emitting gallium-phosphide diodes 186
Pearson, J. S., and Harrison, J. A. Determination of the optimum successive overrelaxation parameter for the solution of Laplace's equation 558
Penfield, P., Jun. Proposed high-efficiency diode oscillator 387
Performance of two types of log-periodic microwave circuit. B. G. Evans 522
Pent, M., Biglieri, E., and Castellani, V. (See Biglieri)
Periodic sampling and the Poisson transform. F. W. Fairman 569
Periodically modulated dielectrically filled waveguide as a microwave antenna. P. Balling 508
Permutation modulation, waveform transmission with. E. Biglieri, V. Castellani and M. Pent 149
Perturbation analysis in dielectric-loaded waveguides. S. C. Kashyap and M. A. K. Hamid 140
Petit, P., Schermann, J. P., Audoin, C., and Desaintfuscien, M. (See Audoin)
Phase-angle loci, contribution to the theory of. H. M. Power 703
Phase filter, an untested f.m. demodulator. D. R. Hummels 720
Phase-locked degenerate parametric amplifier. P. A. Watson and M. E. Butcher 392
Phase measurements, accurate trimming of active RC filters by means of. K. Mossberg and D. Åkerberg 520
Phase-only acoustic holography. J. R. Coldrick and D. Holt 168
Phase-shift network, controlled wide-range quadrature. A. K. H. Miller 586
Phase-shift networks, frequency-insensitive, and their use in a wide-bandwidth Butler matrix. M. J. Withers 496
Phase variability of Omega navigational transmissions. J. Galejs 106
Phonons, resonance absorption of microwave longitudinal, in transversally magnetised {100} y.i.g. rods. P. de Santis and F. Marchetti 200
Photoemission, enhanced into n hexane. A. Buttle and J. E. Brignell 687
Piessens, R. Partial-fraction expansion and inversion of rational Laplace transforms 99
Piezoelectric ceramics, coupling measurements of surface-wave interdigital transducers on. H. Thomann 652
Piezoelectric generation and detection of ultrasonic surface waves by interdigital electrodes: an electrical equivalent circuit. T. Krairojananan and M. Redwood 134
Planar Gunn-effect oscillators with concentric electrodes. G. M. Clarke, A. L. Edridge and J. C. Bass 471
Planar transistors, generalised approach of pinch-in and crowding effects in. P. Leturcq and G. Rey. 355
Plane capacitor, resonance of a, containing inhomogeneous and anisotropic plasma. A. D. Poularikas 165
Plasma column with hollow and perfectly conducting cores, resonances of an axially magnetised. S. R. Seshadri 267
Plasma, high-resolution laser interferometer for measurement of electron density in transient. T. Kano and A. G. Heaton 413
Plasma, hot, measurement of self and mutual impedances of two coupled cylindrical antennas in a. R. Lundquist and K. M. Chen 472
Plasma, inhomogeneous and anisotropic, resonance of a plane capacitor containing. A. D. Poularikas 165
Plasma, warm, driven from a coaxial air line, input impedance of a short antenna in a. D. T. Nguyen 33
Plato, T., and Einarsson, O. (See Einarsson)
Point-contact diode at submillimetre wavelengths, polarity reversal in the detected output of a. E. J. S. Becklake, C. D. Payne and P. E. Prewer 544
Poisson transform, periodic sampling and the. F. W. Fairman 569
Pokorny, J. Initial time constants of the Gunn-domain space-charge growth 452
Polarisation of waves reflected from the ionosphere. P. Knight 389
Polarity reversal in the detected output of a point-contact diode at submillimetre wavelengths. E. J. S. Becklake, C. D. Payne and B. E. Prewer 544
Pollmann, H., Engelmann, R. W., Bosch, B. G., and Frey, W. (See Frey)
Pollmann, H., Engelmann, R. W. H., and Bosch, B. G. Influence of circuit parameters on Gunn-oscillator performance 492
Polythene, discharge repetition in an air-filled cavity in high-density, under high direct electric stresses at elevated temperatures. S. Beg and B. Salvage 388
Popea, A., and Cartianu, G. (See Cartianu)
Porter, B. Synthesis of asymptotically stable discrete-time closed-loop linear systems 162
Porter, B. Synthesis of asymptotically stable linear time-invariant closed-loop systems incorporating multivariable 3-term controllers 557
Position control system, fourth-order, criterion for the stability of a. J. L. Willems 96
Errata 174
Positive network elements, a new class of elements possessing arbitrary hybrid descriptions. M. Vehovec 681
Posner, R. S., and Viswanathan, C. R. (See Viswanathan)
Potton, A. Implementing an error-locating code 121
Poularikas, A. D. Resonance of a plane capacitor containing inhomogeneous and anisotropic plasma 165
Power amplification using an avalanche diode. J. F. Dienst, R. V. D'Aiello and E. E. Thomas 308
Power, H. M. Approximation theorem for establishing root-locus topology 97
Power, H. M. Contribution to the theory of phase-angle loci 703
Power, H. M. New proof for Kalman's criterion of state controllability 621
Power, H. M. Solution of the Lyapunov matrix equation with a diagonal input matrix, obtained without matrix inversion 135
Power spectrum of a pulse train specified by its probability-generating function. V. Teodosić 144
Prabhakara Rao, P. and Govinda Raju, G. R. Natural conduction and thermal-activation energy in chlorobenzene and bromobenzene 507
Prabhu, V. K. Error-probability upper bound for coherently detected p.s.k. signals with cochannel interference 383
Pratt, H. J. High-efficiency avalanche mode in microstrip 467
Pratt, T., and Shearman, E. D. R. Sectoral hoghorn: a new form of line feed for spherical reflector aerials 1
Precise comparison of resistance and capacitance. Joseph M. Diamond 336
Premoli, A. Analysis and synthesis of cascaded noncommensurable transmission lines 286
Preprocessing of hand-printed characters, iterative array for. J. Chalmers and A. Stein 431
Prew, B. A., and Allen, N. L. (See Allen)
Prewer, B. E., Becklake, E. J. S., and Payne, C. D. (See Becklake)
Primary feed, beam scanning, for parabolic reflectors. A. W. Rudge and M. J. Withers 39
Pringle, R. D., and Edmunds, H. R. (See Edmunds)
Pritchard, A. J. Stability of the damped Mathieu functions 700
Probability-density functions obtainable from summed m sequences, forms of. T. J. Healy 624
Probability-density functions of digitally filtered m sequences. A. C. Davies 222
Probability-generating function, power spectrum of a pulse train specified by its. V. Teodosić 144
Probe, electrostatic, in a flowing continuum plasma. D. L. Thomas 341
Profile control, ion-implantation, summation of Gaussians for. R. M. Allen 111

Program for selecting a tree of a connected network and for finding the corresponding F matrix. K. G. Nichols 403
Propagation characteristics of inhomogeneous dielectric-filled coaxial cables. B. Chambers 685
Propagation characteristics of magneto-elastic surface wave. J. P. Parekh 540
Propagation path to study obstacle diffraction, considerations in the design of a model. R. W. King 234
Proposed high-efficiency diode oscillator. P. Penfield, Jun. 387
Proposed high-efficiency spherical reflector. P.J.B.Clarricoats and S.H.Lim 709
Pseudonoise ionospheric-communication system. P. J. Cabion and P. V. Volckman 299
Pseudorandom binary sequences, Fourier analysis of. R. J. Kavanagh 173
Pseudorandom binary sequences, parameter estimation using. C. J. Macleod 35
Pseudorandom codes, systems employing, effect of incidental modulation in. N. Lichtenstein and S. Rauch 4
Pseudorandom point processes, generation of multiple, from m sequences. J. M. Taylor 28
Pulse compression, surface-wave matched delay lines for. E. Teodori 334
Pulse-coupling of an He-Ne laser, subnanosecond. H. Koetser 304
Pulse-modulation scheme, combined, for feedback systems. M. A. Pai and M. S. Varadarajan 436
Pulse train, power spectrum of a, by its probability generating function. V. Teodosić 144
Pulse-transfer function of a digital filter from prescribed partial requirements, determination of. A. R. Memon 465
Pulsed J band (12.4-18GHz) Gunn-effect oscillators. A. L. Edridge, F. A. Myers, B. J. Davidson and J. C. Bass 103
Pulsed-microwave breakdown, dynamics of, in a nonuniform field. M. H. Mentzoni and J. Donohoe 21
Punch-through diodes, silicon, experimental evidence of transit-time effects in. D. Dascalu 196
Push-pull operation of transferred-electron oscillators. H. J. Kuno, J. F. Reynolds and B. E. Berson 178

Q

Q dependence of IMPATT-diode f. m. noise. W. Harth and G. Ulrich 7
Q factor of thin-film lumped element at microwave frequencies, novel technique for measuring the J. J. Hughes, L. S. Napoli and W. F. Reichert 535
Quartz, dispersive Rayleigh waves on. G. Cambon and C. F. Quate 402
Quasilinear analysis of a nonlinear-a.c. channel. D. P. Atherton and W. Fieguth 300
Quasistationary noise in resistors. J. López de la Fuente 263
Quast, W., and Schiek, B. Experimental determination of the ratio of injected hole current and total current in silicon nitride 485
Quate, C. F. Amplification of acoustic surface waves with two sets of carriers 317
Quate, C. F., and Cambon, G. (See Cambon)
Queen, J. L., and Cheston, T. C. Generation of multiple simultaneous beams by aperture phase control 494

R

RC active allpass sections. T. Deliyannis 59
Errata 128
RC active filters, highly stable. M. Miyahara 401
RC filters, active, accurate trimming of, by means of phase measurements. K. Mossberg and D. Åkerberg 520
RC filters, active, low-sensitivity easily trimmed standard building block for. D. Åkerberg and K. Mossberg 528
RC filters using operational-amplifier biquad, design formulas for active. J. Tow 339
RC networks, stagger-tapered distributed, algorithm for coefficients of. M. Novák 46
RC networks with rational admittances, realisation of nonuniform. K. J. Gough 207
RC networks with rational immittances, distributed. K. J. Gough 206
RC potential divider with lumped stray capacitances to earth, exact solution for capacitive compensation of the. A. G. Heaton, D. K. Pal and T. H. Teich 279
RC:RL decomposition of a fourth-order polynomial. D.P.Leach and S.P.Chan 716
R.F. injection, elimination of delay times in X band Gunn-effect oscillators using. R. Harrison 503
Radar ground-scatter map, h.f. ionospheric, showing land-sea boundaries by a spectral-separation technique. J. C. Blair, L. L. Melanson and L. H. Tveten 75
Radar, shipborne, detection of surface targets in sea clutter by. J. Croney, A. Woroncow and H. Salt 619
Radiation from wide-flare-angle scalar horns. P. J. B. Clarricoats and P. K. Saha 376
Radiation pattern, experimental, of the corrugated conical-horn antenna with small flare angle. M. E. J. Jeuken 484
Radiation pattern of a lens-corrected conical scalar horn. P. J. B. Clarricoats and P. K. Saha 592
Radiation patterns, calculation of. J. R. James and L. W. Longdon 567
Rajappan, K. P., and Majhee, P. C. (See Majhee)
Ralph, J. E., and Tansley, T. L. (See Tansley)
Ramachandran, V., Verma, P. K., and Giguere, J. C. (See Giguere)
Ramar, K., and Ramaswami, B. Transformation to canonical forms 611
Ramaswami, B., and Ramar, K. (See Ramar)
Random data, recovery of, from additive noise using real-time correlation of probability functions. L. E. Schnurr 101
Rao, K. S., Rao, V. V. B., Sankaran, P., and Murti, V. G. K. Enumeration of all cut-sets of a graph 208
Errata 442
Rao, S. G., and Soudack, A. G. Suboptimal control of plants with uncertain parameters 683
Rao, T. N. Readily biased wideband gyrator circuit for floating or earthed inductors 309
Rao, V. V. B., and Murti, V. G. K. Enumeration of all trees of a graph 282
Rao, V. V. B., Sankaran, P., Murti, V. G. K., and Rao, K. S. (See Rao, K. S.)
Rao, Y. G., and Reddy, M. A. (See Reddy)
Rauch, S., and Lichtenstein, N. (See Lichtenstein)
Ravindran, K., Pant, H. C., and Dastidar, P. R. (See Dastidar)
Ray method for scattering by small discontinuities in a waveguide. L. B. Felsen 542
Ray theory, mode coefficients in a sectoral horn by. M. A. K. Hamid 95
Rayleigh hypothesis, example of the generalised-function validity of the. M. L. Burrows 694
Rayleigh hypothesis in scattering problems. R. F. Millar 416
Rayleigh hypothesis, the extended-boundary condition and point matching. R. H. T. Bates 654
Rayleigh solutions and the extended-boundary-condition solution for scattering problems, equivalence of the. M. L. Burrows 277
Rayleigh waves, dispersive, on quartz. G. Cambon and C. F. Quate 402
Readily biased wideband gyrator circuit for floating or earthed inductors. T. N. Rao 309
Real dominant zero of a Hurwitz polynomial. M. Uruski 334
Real functions, positive, having only negative real critical frequencies, theorem on. S. K. Mitra and G. Hurtig III 611
Real-time correlation of probability functions, recovery of random data from additive noise using. L. E. Schnurr 101
Realisability of uniform aperture distributions. A. C. Kak 233
Realisation of nonuniform RC networks with rational admittances. K. J. Gough 207
Realisation of transfer functions using one amplifier. S. Natarajan and V. G. K. Murti 458
Recovery of random data from additive noise using real-time correlation of probability functions. L. E. Schnurr 101
Rectangular-pulse generator and memory element with a Gunn diode. B. Boccon-Gibod 91
Rectangular waveguide in the E and H plane, reflection and transmission at an abrupt change in cross-section of a. W. Braeckelmann and H. Henke 332
Rectangular waveguides, dielectric-loaded, measurement of the coupling efficiency between, and dielectric-loaded trough waveguides. N. B. Saddler and J. A. Staniforth 131
Red lamps, GaP, output saturation in. B. L. H. Wilson and H. C. Wright 412
Reddi, V. G. K., Ivanek, F., and Shyam, M. (See Ivanek)
Reddy, M. A., and Rao, Y. G. Simple notch filter using a negative-impedance convertor 665
Reddy, S. M. Linear uniform codes 71
Reduced-voltage operation of a surface-elastic-wave amplifier. C. W. Turner, A. Shomon and R. M. White 244
Redwood, M., and Krairojananan, T. (See Krairojananan)
Redwood, M., Mitchell, R. F., and Willis W. (See Mitchell)
Rees, H. D., Fawcett, W., and Hilsum, C. (See Fawcett)
Reflection and transmission at an abrupt change in cross-section of a rectangular-waveguide in the E and H plane. W. Braeckelmann and H. Henke 332
Reflection from subrefractive layers. J. R. Wait 64
Reflectometer, microwave locating. P. I. Somlo and D. L. Hollway 468
Reflector aerials, spherical, a new form of line feed for, sectoral hoghorn. T. Pratt and E. D. R. Shearman 1
Reflectors, parabolic, beam-scanning primary feed for. A. W. Rudge and M. J. Withers 39
Reflectors, shallow, optimisation of efficiency of. V. T. Bao 6
Reflex klystrons, modulation disturbances in, caused by ions and slow electrons. E. Seebald 255
Reframing statistics of p.c.m. multiplex transmission. O. Brugia and M. Dècina 625
Regular pulsing of gallium-arsenide-diode laser. E. Mohn 261
Regulator, optimal, with bounds on the derivative of the input. P. J. Moylan and J. B. Moore 502
Reichert, W. F., Hughes, J. J., and Napoli L. S. (See Hughes)
Relationship between two concepts of equivalence for finite-state machines K. Vairavan 655
Relativistic effects in space-charge spreading of an electron beam, allowance for. P. A. Einstein 546
Relaxation oscillations due to impact ionisation in epitaxial sheet-type Gunn oscillators. G. A. Acket and J. J. Scheer 160
Reliability-function calculations with application to nonseparable structures, Y-Δ transformation theorem for. N. Millea 661
Resist-coated silicon slices, sensitivity of, to argon-laser wavelengths. M. J. Beesley, J. G. Castledine and D. P. Cooper 257
Resistance, precise comparison of, and capacitance. Joseph M. Diamond 336
Resistors, quasistationary noise in. J. López de la Fuente 263
Resonance absorption of microwave longitudinal phonons in transversally magnetised [100] y.i.g. rods. P. de Santis and F. Marchetti 200
Resonance-frequency behaviour of a cavity with an evanescent section. F. M. Stuber and L. E. Davis 418
Resonance of a plane capacitor containing inhomogeneous and anisotropic plasma. A. D. Poularikas 165
Resonances, electromagnetic, of a free ferrite sphere. I. Wolff 104
Resonances of an axially magnetised plasma column with hollow and perfectly conducting cores. S. R. Seshadri 267
Resonant structures, circular, on microstrip. J. Watkins 524
Resonator-coupling, surface-wave. P. E. Stringer 258
Result of limited synthesis procedures applied to switching (Un resultat sur l'application de procédés limites de synthèse à des fonctions Booléennes). L. Frecon 419
Review and comparison of drift-correction schemes for periodic crosscorrelation. R. F. Brown 179
Rey, G., and Leturcq, P. (See Leturcq)
Reynolds, J. F., Berson, B. E., and Kuno, H. J. (See Kuno)
Reynolds, J. E., Enstrom, R. E., and Berson, B. E. (See Enstrom)
Reynolds, R. M., and Emeleus, K. G. (See Emeleus)
Riccati-Bernoulli nonlinearities, systems with generalised. B. V. Dasarathy 674
Riccati partial-differential equation, generalised, first-order nonlinear systems governed by. B. V. Dasarathy 238
Richards, G. A. Second-derivative sensitivity using the concept of the adjoint network 398
Riemersma, H., and Hoyaux, M. F. (See Hoyaux)
Ring-laser bias using reciprocal optical components. H. A. H. Boot, P. G. R. King and R. B. R. Shersby-Harvie 347
Ring modulator, integratable electronic realisation of a new form of. A. W. Keen 668

Ristic, V. M. Stability problem in electromagnetic systems and possible solutions 358
Roberge, R. M., and Lord, W. (See Lord)
Roberts-von Hippel standing-wave method, calculation of the complex permittivity of lossy dielectric materials using the. J. Watkins and D. Brown 243
Robertson, G. I., and Butler, M. B. N. Evidence of parametric conversion in the frequencies of acoustic domains in CdS 529
Robinson, J. E., Mohsen, A., and Hamid, M. A. K. Application of the ray-optical technique to dielectric-loaded rectangular waveguides 380
Root-locus topology, approximation theorem for establishing. H. M. Power 97
Rosenbrock, H. H. Minimal indices in dynamical systems 658
Ross, R. I., and Valand, J. Extending Valand's transient-response formula 615
Rossel, P. Influence de la réduction de mobilité due au champ transversal sur les caractéristiques des transistors m.o.s. (Influence on the characteristics of m.o.s. transistors of the mobility reduction due to a transverse electric field) 604
Rotor load angle, measurement of, of synchronous machines. D. G. Lewis and W. E. Austin 113
Roulston, D. J. and Varshney, R. C. Semi-quantitative treatment of transients in silicon epitaxial diodes 548
Routh-Hurwitz algoritim for determining the number of negative-real-axis zeros in a given polynomial having real coefficients, use of. J. C. Giguere, V. Ramachandran and P. K. Verma 546
Rudge, A. W., and Withers, M. J. Beam-scanning primary feed for parabolic reflectors 39
Rudge, A. W. Focal-plane field distribution of parabolic reflectors 510
Ruey-Wen Liu. Limiting sets of time-varying passive networks 554
Ruiz-Perez, J. M., Segovia, R. and Luque, A. (See Luque)
Ryan, W. D., Armstrong, G. A., and Magowan, J. A. (See Armstrong)
Ryan, W. D., McGuffin, R. W., and Luke, D. McG. (See McGuffin)

S

S.O.R. solutions, optimum accelerating factor for, of domains containing $\partial\phi/\partial\eta = 0$ boundary conditions. G. A. Armstrong, J. A. Magowan and W. D. Ryan 69
Saddler, N. B., and Staniforth, J. A. Measurement of the coupling efficiency between dielectric-loaded rectangular waveguides and dielectric-loaded trough waveguides 131
Saddler, N. B., and Staniforth, J. A. Technique for the measurement of the percentage of power in the single spurious mode of an overmoded waveguide 204
Saha, P. K., and Clarricoats, P. J. B. (See Clarricoats)
Saito, T., and Yasuda, H. Dynamic characteristics of a mutually synchronised system 153
Salt, H., Croney, J., and Woroncow, A. (See Croney)
Salvage, B., and Beg, S. (See Beg)
Salvage, B., and Whalley, G. W. (See Whalley)
Sampled-data filters, first-order correction for zero-order hold distortion in. R. K. P. Galpin 574
Sampled-data systems, computer program to obtain the time response of. S. E. Williamson 209
Sampled signals, upper bounds for the variation of. A. Lepschy and F. Todero 126
Sampling and thyristor systems, stability of first-order. F. Fallside, C. J. Goodman and R. D. Jackson 566
Sampling theorem, application of the, to a multislit structure of a confocal-mirror resonantor. E. Yamashita, R. Mittra and T. Itoh 67
Sampling theorem for nonlinear systems, synchronous. H. A. Barker 657
Sankaran, P., Murti, V. G. K., Rao, K. S., and Rao, V. V. B. (See Rao)
Saraga, W. N-path filter sections with biquadratic transfer functions 711
Sarma, P. S., and Venkateswaran, S. Simulated inductance with a transistor and RC elements 689
Sarnot, S. L., and Bhattacharyya, A. B. Tunnel-diode transient analysis 275
Satellite-communications systems, telegraph time-division-multiplex equipment for. J. W. Gunning and R. Greer 259
Saunders, A. F., Young, A. S., Maines, J. D., and Paige, E. G. S. (See Maines)
Scanning-electron microscope, improved technique for voltage measurement in the. J. P. Fleming and E. W. Ward 435
Scanning system, square-spiral. E. M. Deeley and C. M. Jefferson 19
Scattering by small discontinuities in a waveguide, ray method for. L. B. Felsen 542
Scattering due to irregularieis on dielectric or optical fibres. A. W. Snyder 271
Scattering, electromagnetic, by a thin resistive wire. O. Einarsson and T. Plato 637
Scattering problems, equivalence of the Rayleigh solution and the extended-boundary-condition solution for. M. L. Burrows 277
Scattering problems, Rayleigh hypothesis in. R. F. Millar 416
Schatzl, C., Seifert, F., and Palmetshofer, L. (See Seifert)
Scheer, J. J., and Acket, G. A. (See Acket)
Schermann, J. P., Audoin, C., Desaintfuscien, M., and Audoin, C. (See Audoin)
Schieber, D., and Erlicki, M. S. Nonlinearity of Hall voltage 78
Schiek, B., and Quast, W. (See Quast)
Schnurr, L. E. Recovery of random data from additive noise using real-time of probability functions 101
Schofield, J. M., Daniel, P. J., and Ford, R. A. (See Daniel)
Schott, F. W., and Tao, T. F. Measurement of ferrite parameters at microwave frequencies 84
Schottky-barrier diodes in microwave mixers, signal-compression performance of. R. W. Yell 360
Sea clutter, detection by shipborne radar of surface targets in. J. Croney, A. Woroncow and H. Salt 619
Second-derivative sensitivity using the concept of the adjoint network. G. A. Richards 398
Second-order sensitivity analysis of a linear system. T. B. M. Neill 211
Second-order sensitivity analysis of a nonlinear system. T. B. M. Neill 212
Second-order spin-wave instability in Mn-Zn_2Y planar hexagonal ferrites. J. Helszajn and J. McStay 525
Sectoral hoghorn: a new form of line feed for spherical reflector aerials. T. Pratt and E. D. R. Shearman 1
Sectoral horn, mode coefficients in a, by ray theory. M. A. K. Hamid 95
Seebald, E. Modulation disturbances in reflex klystrons caused by ions and slow electrons 255
Segovia, R., Luque, A., and Ruiz-Perez, J. M. (See Luque)
Seifert, F., Palmetshofer, L., and Schatzl, C. Microwave emission and acoustoelectric excitation in differently orientated n InSb 288
Self modulation at gigahertz frequencies of a diode laser coupled to an external cavity. R. F. Broom 571
Self-pumped Gunn-effect parametric amplifier. C. S. Aitchison, C. D. Corbey and B. H. Newton 36
Self-pumped parametric amplification with GaAs transferred-electron devices. H. J. Kuno 232
Semiconductor diodes, avalanche-resonance-pumped, simplified model for. B. Hoefflinger, F. Zappert and C. P. Snapp 590
Semiconductor diodes, small-signal impedance of space-charge limited. D. Dascalu 230
Semiconductor for microwave devices, optimum. W. Fawcett, C. Hilsum and H. D. Rees 313
Semiquantitative treatment of transients in silicon epitaxial diodes. D. J. Roulston and R. C. Varshney 548
Sen, M. and Barlow, H. M. (See Barlow)
Sensitivity of a network to its active devices, general rule for the compensation of the. A. G. J. Holt and M. R. Lee 324
Sensitivity of resist-coated silicon slices to argon-laser wavelengths. M. J. Beesley, J. G. Castledine and D. P. Cooper 257
Sensitivity, second derivative, using the concept of the adjoint network. G. A. Richards 398
Series operation, high-efficiency, of Gunn devices. M. C. Steele, F. P. Califano and R. D. Larrabee 81
Series operation of avalanche transistors. T. H. O'Dell 94
Servomotor time constants, d.c., effect of viscous damping on Pasek's method for determining. W. Lord and R. M. Roberge 57
Seshadri, S. R. Resonances of an axially magnetised plasma column with hollow and perfectly conducting cores 267
Sexton, M. C., and Donovan, B. V. (See Donovan)
Shackle, P. W., and De Boise, R. H. (See De Boise)
Shackle, P. W. High-efficiency self-pulsed IMPATT oscillator circuit 395
Shannon, J. M. Simple expressions for the effect of substrate doping on the gain of m.o.s.t.s. 181
Sharma, A. K., Wilson, M. G. F., and Ash, E. A. Effect of resonant load on moding of CdS acoustoelectric oscillator 2
Shearman, E. D. R., and Pratt, T. (See Pratt)
Sheridan, K. V. Use of atomic frequency standards for phase calibration of large aerial arrays 363
Shering, G. C., and Jacobs, O. L. R. (See Jacobs)
Shersby-Harvie, R. B. R., Boot, H. A. H., and King, P. G. R. (See Boot)
Shevchenko, T. G., and Tsvirko, Yu. A. Gunn-effect cavity-controlled generator 107
Shomon, A., White, R. M., and Turner, C. W. (See Turner)
Short error-correcting codes. D. A. Bell 367
Short-term frequency stability of the HCN maser. D. W. E. Fuller, J. Hines and B. Compton 448
Shurmer, H. V. Correction of a Smith-chart display through bilinear transformations 209
Shyam, M., Reddi, V. G. K., and Ivanek, F. (See Ivanek)
Signal-compression performance of Schottky-barrier diodes in microwave mixers. R. W. Yell 360
Signal-flow-graph gain with respect to the general node of a graph J. Mikula 382
Signal reconstruction, zero-crossing information for. S. C. Kak 645
Silicon nitride, experimental determination of the ratio of injected hole current and total current in. W. Quast and B. Schiek 485
Šiljak, D., and Sun, C. K. (See Sun)
Simonne, J. J., and Esteve, D. J. (See Esteve)
Simple analysis method for a class of nonlinear networks of arbitrary order of complexity. A. G. J. Holt and C. Nightingale 597
Simple charge-controlled transient model of the m.o.s. transistor for computer-aided design-and-analysis programs. R. W. McGuffin, D. McG. Luke and W. D. Ryan 638
Simple criterion for the global regularity of vector-valued functions. M. Vehovec 680
Simple expressions for the effect of substrate doping on the gain of m.o.s.t.s. J. M. Shannon 181
Simple microwave holograms and moiré fringes using the 'spinning-dipole' field-perturbation technique. D. N. Swingler and A. P. Anderson 314
Simple notch filter using a negative-impedance convertor. M. A. Reddy and Y. G. Rao 665
Simple technique for the accurate determination of delay-time variations in acoustic-surface-wave structures. J. D. Maines, E. G. S. Paige, A. F. Saunders and A. S. Young 678
Simple ultra-lowpass filter (diode brake). D. Wuchinich 137
Simplified model for avalanche-resonance-pumped semiconductor diodes. B. Hoefflinger, F. Zappert and C. P. Snapp 590
Simulated inductance with a transistor and RC elements. P. S. Sarma and S. Venkateswaran 689
Simultaneous beams, multiple, by aperture phase control, generation of. J. L. Queen and T. C. Cheston 494
Sinusoidal-pertubation extremal-control system, stability of a. O. L. R. Jacobs and G. C. Shering 146
Skattebol, L. V., and Duc, N. Q. (See Duc)
Slotboom, J. W. Iterative scheme for 1- and 2- dimensional d.c. transistor simulation 677
Small corrugated conical-horn antenna with wide flare angle. M. E. J. Jeuken and C. W. Lambrechtse 489
Small-signal impedance of space-charge-limited semiconductor diodes. D. Dascalu 230
Smith, I. R., and Jänsch, H. G. (See Jänsch)
Smith, W. E. Frequency dependence and energy storage of a class of a.c. measuring instruments 349
Snapp, C. P., Hoefflinger, B., and Zappert, F. (See Hoefflinger)
Snapp, C. P., and Hoefflinger, B. Degenerate amplification with semiconductor diodes due to a self-generated avalanche-resonance pump 393

Snapp, C. P., Stark, L. A., and Hoefflinger, B. (See Hoefflinger)
Snyder, A. W. Scattering due to irregularities on dielectric or optical fibres 271
Solid-state active devices, investigation of waveguide-below cutoff resonators for. F. Ivanek, M. Shyam and V. G. K. Reddi 214
Solid-state switching circuits, linearly scaled power-factor meters employing. H.G.Jänsch and I.R.Smith 698
Soliman, A. M., and Bose, N. K. (See Bose)
Solution of the Lyapunov matrix equation with a diagonal input matrix, obtained without matrix inversion. H. M. Power 135
Some aspects of Gunn oscillations in thin dielectric-loaded samples. K. R. Hofmann 227
Somlo, P. I., and Hollway, D. L. Microwave locating reflectometer 468
Soudack, A. C., and Rao, S. G. (See Rao)
Space-charge approximation, use of, as trial solution in the computation of potential distributions in semiconductor devices. R. Van Overstraeten and W. Nuyts 646
Space-charge growth, Gunn-domain, initial time constants of the. J. Pokorny 452
Space-charge-limited diodes, a.c. admittance of double-injection. A. van der Ziel 298
Space-charge-limited semiconductor diodes, small-signal impedance of. D. Dascalu 230
Space-charge spreading of an electron beam, allowance for relativistic effects in. P. A. Einstein 546
Space-charge wave instability in a semiconductor exhibiting field-dependent diffusion coefficient and saturated drift velocity. P. Geuret 248
Sparks, M. Magnetostatic surface modes of a y.i.g. slab 618
Spasov, A. Y. Oscillating circuit using nonlinear inductance 241
Special class of symmetric Boolean functions. N. N. Biswas 72
Special class of symmetric Boolean functions: proof and comment. N. N. Biswas 444
Spectral-separation technique, h.f. ionospheric radar ground-scatter map showing land-sea boundaries by a. J. C. Blair, L. L. Melanson and L. H. Tveten 75
Speech recognition, algorithm for matching 1-dimensional patterns in multidimensional space, with application to automatic. J. H. Ellis 335
Spence, R., and Goddard, P. J. (See Goddard)
Spherical hybrid modes, analysis of, in a corrugated conical horn. P. J. B. Clarricoats 189
Spherical reflector, proposed high-efficiency. P. J. B. Clarricoats and S. H. Lim 709
Spies, K. P., and Wait, J. R. (See Wait)
'Spinning-dipole' field-perturbation technique, simple microwave holograms and moiré fringes using the. D. N. Swingler and A. P. Anderson 314
Spin-wave instability, second-order, in Mn-Zn_2Y planar hexagonal ferrites. J. Helszajn and J. McStay 525
Square-spiral scanning system. E. M. Deeley and C. M. Jefferson 19
Stabilisation of transferred-electron amplifiers with large n_0l products. S. Y. Narayan and F. Sterzer 30
Stability criterion for Gunn oscillators with heavy surface loading. K. R. Hofmann 469
Stability, criterion for the, of a fourth-order position control system. J. L. Willems 96
Errata 174
Stability of a sinusoidal-perturbation extremal-control system. O. L. R. Jacobs and G. C. Shering 146
Stability of a sinusoidal-perturbation extremal-control system. D. J. G. James 220
Stability of bulk negative-resistance material. L. Lewin 184
Stability of feedback systems containing a single monotonic nonlinearity. I. J. Nagrath and R. S. Baheti 457
Stability of first-order sampling and thyristor systems. F. Fallside, C. J. Goodman and R. D. Jackson 566
Stability of p.c.m.-oscillator synchronisation systems with sampled error signals. M. R. Miller 183
Stability of the damped Mathieu functions. A. J. Pritchard 700
Stability problem in electromagnetic systems and possible solutions. V. M. Ristic 358
Stability results for optimal systems. B. D. O. Anderson 545
Stafford, M., and Nightingale, J. M. Symbolic functions and first-order operators 167
Stagger-tapered distributed RC networks, algorithm for coefficients of. M. Novák 46
Staniforth, J. A., and Allnutt, J. E. Absolute grid attenuator 653
Staniforth, J. A., and Saddler, N. B. (See Saddler)
Stanley, I. W., and Burslem, T. J. Frequency response of a thin-film transmission line 88
Stanley, I. W., and Burslem, T. J. Thin-film coaxial-cable equaliser 598
Stark, L. A., Hoefflinger, B., and Snapp, C. P. (See Hoefflinger)
State-space formulation, decomposition of time-varying LC elements and the T. Murata 142
Steele, M. C., Califano, F. P., and Larrabee, R. D. High-efficiency series operation of Gunn devices 81
Stein, A., and Chalmers, J. (See Chalmers)
Stein, A., Thompson, L., Youssef, T., Buykes, J., and Mau, A. (See Buykes)
Step-recovery diode, conditions for single conduction in a series-type frequency multiplier using an ideal. W. M. Van Loock 368
Step-recovery diode, ideal, without idlers, optimised frequency multipliers using an. R. H. Johnston 136
Step-recovery diode to include nonzero transition time, modified circuit model for the. P. W. C. Chilvers and K. Foster 345
Step response of a transmission line including losses. R. C. V. Macario 77
Sterzer, F., and Narayan, S. Y. (See Narayan)
Stevens, P. R. C., and Jones, K. C. (See Jones)
Stochastic sampling character-recognition system. J. Buykes, A. Mau, A. Stein, L. Thompson and T. Youssef 635
Strauch, R. G. Technique for measurement of HCN-laser linewidth 246
Stringer, P. E. Surface-wave resonator coupling 258
Stripline directional coupler/impedance transformer, 2-branch, design equations for a. L. F. Lind 495
Stripline resonator, notched. T. K. Ishii and P. K. Moldovan 439
Stuber, F. M., and Davis, L. E. Resonance-frequency behaviour of a cavity with an evanescent section 418
Subnanosecond pulse coupling of an He-Ne laser. H. Koetser 304
Submillimetre wavelengths, polarity reversal in the detected output of a point-contact diode at. E. J. S. Becklake, C. D. Payne and B. E. Prewer 544
Suboptimal control of plants with uncertain parameters. S. G. Rao and A. C. Soudack 683
Subrefractive layers, reflection from. J. R. Wait 64
Substrate doping on the gain of m.o.s.t.s, simple expressions for the effect of. J. M. Shannon 181
Sugai, I. Uncoupling of modes in multi-dimensionally inhomogeneous curvilinear cylinders 628
Suggestion for an i.c. fast parallel multiplier. R. De Mori 50
Errata 109
Sullivan, N. J., and Heaton, A. G. Transient frequency response of transmittance-peaked i.f. filters with application to null-zone detection 423
Summation of Gaussians for ion-implantation profile control. R. M. Allen 111
Sun, C. K., and Šiljak, D. Absolute-stability test for discrete systems 236
Superposition and separation of a u.h.f. wave and a fast rise-time pulse. J. Marcou, A. Papiernik and L. Wartski 555
Suppression of travelling high-field domain mode oscillations in GaAs by dielectric surface loading. S. Kataoka, H. Tateno and M. Kawashima 48
Sur une formulation unifiée des mécanismes de focalisation et de défocalisation dans les transistors plans (Generalised approach of pinch-in and crowding effects in planar transistors). P. Leturcq and G. Rey 355
Sur une méthode de détermination expérimentale des caractéristiques d'un varactor à jonction hyperabrupte (Method dealing with the experimental determination of the hyperabrupt junction varactor characteristics). J. Bajon, J. C. Hoffman and J. R. Hait 132
Surface-elastic-wave amplifier, reduced-voltage operation of a. C. W. Turner, A. Shomon and R. M. White 244
Surface loading, Gunn instabilities with. H. L. Hartnagel 303
Surface magnetostatic waves in a transversely magnetised thin y.i.g. slab, effect of boundary conditions on the propagation of. P. Young 429
Surface-wave effects with large antenna earth screens. J. R. Wait 552
Surface wave, hybrid TEM-dual, experiments on a two-wire line resonator supporting the. H. M. Barlow and M. Sen 68
Surface-wave interdigital transducers, coupling measurements of, in piezoelectric ceramics. H. Thomann 652
Surface-wave matched delay lines for pulse compression. E. Teodori 334
Surface-wave resonator coupling.
Surface-wave structures, use of nonuniform dielectrics on. R. L. Gallawa and J. E. Partch 177
Surface-wave transducers, acoustic, electrode interactions in. R. F. Mitchell, W. Willis and M. Redwood 456
Surface waves in ferrites, magneto-elastic. J. P. Parekh 322
Surface waves, ultrasonic, piezoelectric generation and detection of, by interdigital electrodes: an electrical equivalent circuit. T. Krairojananan and M. Redwood 134
Swift, G. W. Charging time of a high-voltage impulse generator 534
Swingler, D. N., and Anderson, A. P. Simple microwave holograms and moiré fringes using the 'spinning-dipole' field-perturbation technique 314
Switch, analogue conductivity T. L. Tansley and J. E. Ralph 671
Switching circuits, solid-state, linearly scaled power-factor meters employing. H.G.Jansch and I.R.Smith 698
Switching functions with more than four variables, graphical simplification of. A. Jakobschuk 566
Switching mechanism in chalcogenide glasses. A. C. Warren 461
Errata 570
Switching, result of limited synthesis procedures applied to. L. Frecon 419
Symbolic evaluation of transmittances from the nodal-admittance matrix. T. Downs 379
Symbolic functions and first-order operators. M. Stafford and J. M. Nightingale 167
Synchronous machines, improved method of measuring the load angle of. H. G. Jänsch and I. R. Smith 433
Synchronous machines, measurement of rotor load angle of. D. G. Lewis and W. E. Austin 113
Synchronous sampling theorem for nonlinear systems. H. A. Barker 657
Synthesis of asymptotically stable discrete-time closed-loop linear systems. B. Porter 162
Synthesis of asymptotically stable linear time-variant closed-loop systems incorporating multivariable 3-term controllers. B. Porter 557
Synthesis using active constant-resistance 3-terminal networks. L. K. Cheung and C. F. Ho 328
Synthetisers, microwave-frequency. R. C. Hamer 156
System identification using binary m sequences, drift elimination in. C. J. Macleod 112
Systems, design of linear time-variable. E. Freund 343
Systems with generalised Riccati-Bernoulli nonlinearities. B. V. Dasarathy 674
Systematic method of calculating the amplitude spectra of waveform sequences. W. M. S. Liew and R. C. V. Marcario 155
Székely, V., and Koblinger, L. Triggering times of Gunn diodes 609

T

TE and TM modes in transmission lines with circular outer conductor and eccentric circular inner conductor. E. Abaka and W. Baier 251
TEM-dual surface wave, hybrid, experiments on a two-wire line resonator supporting the. H. M. Barlow and M. Sen 68
Tan, P. C. Dual adjacent directional coupler 283
Tansley, T. L., and Ralph, J. E. Analogue conductivity switch 671
Tao, T. F., and Schott, F. W. (See Schott)
Tassicker, O. J. Measurement of corona current density at an electrode boundary 285
Tateno, H., Kawashima, M., and Kataoka, S. (See Kataoka)

Taylor, J. M. Generation of multiple pseudorandom point processes from m sequences 28
Tearle, C. A., Giblin, R. A., and Hambleton, K. G. (See Giblin)
Technique for improving the frequency/temperature characteristics of 3 cm-band Gunn oscillators M. E. Cleverley and J. R. Norbury 449
Technique for measurement of HCN-laser linewidth. R. C. Strauch 246
Technique for the measurement of the percentage of power in the single spurious mode of an over-moded waveguide. N. B. Saddler and J. A. Staniforth 204
Teich, T. H., Heaton, A. G., and Pal, D. K. (See Heaton)
Teodori, E. Surface-wave matched delay lines for pulse compression 334
Teodosić, V. Power spectrum of a pulse train specified by its probability-generating function 144
Telegraph time-division-multiplex equipment for satellite-communication systems. J. W. Gunning and R. Greer 259
Telephone systems, design criterion for coaxial-cable p.c.m. M. Décina and G. Paladin 385
Ternary-logic realisation, current-mode circuits for. H. Dunderdale 575
Thaler, H. J., and Weidmann, G. (See Weidmann)
Theorem on positive real functions having only negative real critical frequencies. S. K. Mitra and G. Hurtig III 611
Theoretical analysis of cylindrical hybrid modes in a corrugated horn. P. J. B. Clarricoats and P. K. Saha 187
Thermal activation energy and natural conduction in chlorobenzene and bromobenzene. P. Prabhakara Rao and G. R. Govinda Raju 507
Thermal effects in modulated IMPATT oscillators. G. Weidmann and H. J. Thaler 92
Thermal-resistance measurement, transistor, using the ultralinear-thermometer principle. A. Ambrózy 100
Thermometer, ultralinear, principle, transistor thermal-resistance measurement using. A. Ambrózy 100
Thin-film coaxial-cable equaliser. I. W. Stanley and T. J. Burslem 598
Thin-film lumped elements at microwave frequencies, novel technique for measuring the Q factor of. J. J. Hughes, L. S. Napoli and W. F. Reichert 535
Thin-film transmission line, frequency response of a. I. W. Stanley and T. J. Burslem 88
Thomann, H. Coupling measurements of surface-wave interdigital transducers in piezoelectric ceramics 652
Thomas, D. L. Electrostatic probe in a flowing continuum plasma 341
Thomas, E. E., Dienst, J. F., and D'Aiello, R. V. (See Dienst)
Thompson, L., Youssef, T., Buykes, J., Mau, A., and Stein, A. (See Buykes)
Thomson, I. High-efficiency continuous oscillations in silicon IMPATT diodes below the transit-time frequency 229
3 cm-band Gunn oscillators, technique for improving the frequency/temperature characteristics of. M. E. Cleverley and J. R. Norbury 449
3-terminal networks, synthesis using active constant-resistance. L. K. Cheung and C. F. Ho 328
Thyristor systems, stability of first-order sampling and. F. Fallside, C. J. Goodman and R. D. Jackson 566
Time delay, method of measuring. G. G. Gouriet 436
Errata 570
Time-division-multiplex equipment, telegraph, for satellite-communication systems. J. W. Gunning and R. Greer 259
Time-variable systems, design of linear. E. Freund 343
Time-varying LC elements, decomposition of and the state-space formulation. T. Murata 142
Time-varying multivariable systems, decoupling and determination of the inverse for. E. Freund 73
Todero, F., and Lepschy, A. (See Lepschy)
Tolerance of nonlinearities in linear optimal regulators with integral feedback. J. B. Moore 409
Torguet, R., and Dieulesaint, E. Continuous deflection of light with longitudinal acoustic waves. R. Torguet and E. Dieulesaint 632
Tow, J. Design formulas for active RC filters using operational-amplifier biquad 339
Townsend, J. M., and Naylor, J. B. (See Naylor)
Transducer, acoustic bulk-surface-wave. R. F. Humphryes and E. A. Ash 175
Transducers, acoustic surface-wave, electrode interactions in. R. F. Mitchell, W. Willis and M. Redwood 456
Transducers in piezoelectric ceramics, coupling measurements of surface-wave interdigital. H. Thomann 652
Transfer functions using one amplifier, realisation of. S. Natarajan and V. G. K. Murti 458
Transferred-electron amplifiers with large n_0L products, stabilisation of. S. Y. Narayan and F. Sterzer 30
Transferred-electron devices, self-pumped parametric amplification with GaAs. H. J. Kuno 232
Transferred-electron oscillators, push-pull operation of. H. J. Kuno, J. F. Reynolds and B. E. Berson 178
Transferred-electron oscillators, vapour growth of multilayered GaAs structures for series operation of. R. E. Enstrom, B. E. Berson and J. E. Reynolds 714
Transformation to canonical forms. K. Ramar and B. Ramaswami 611
Transformer, design of a pulse-current. T. H. O'Dell 369
Transformerless r.p. immittance synthesis from real-part specification. G. Martinelli 247
Transient analysis, tunnel-diode. S. L. Sarnot and A. B. Bhattacharrya 275
Transient frequency response of transmittance-peaked i.f. filters with application to null-zone detection. N. J. Sullivan and A. G. Heaton 423
Transient mercury-vapour plasma, confirmation of abnormally high electron density in a, by laser-interferometer measurements. A. G. Heaton, T. Kano and D. K. Pal 295
Transient-response formula, Valand's, extending. R. I. Ross and J. Valand 615
Transients in an ammonia-maser oscillator. D. C. Lainé and W. S. Bardo 323
Transistor fabrication using diffusion barriers produced by electron beams. P. J. Daniel, R. A. Ford and J. M. Schofield 169
Transistor mixer, equivalent circuit of. K. Kishan Rao and S. Venkateswaran 649
Transistor simulation, iterative scheme for 1- and 2- dimensional d.c. J. W. Slotboom 677
Transistor thermal-resistance measurement using the ultra-linear-thermometer principle. A. Ambrózy 100
Transistors, avalanche, series operation of. T. H. O'Dell 94
Transit-time effects, experimental evidence of, in silicon punch-through diodes. D. Dascalu 196
Transmission-line networks, approximation for the response of capacitively loaded, in the time domain. R. Murray-Shelley 550
Transmission line, step response of a, including losses. R. C. V. Macario 77
Transmission line, thin film, frequency response of a. I. W. Stanley and T. J. Burslem 88
Transmission lines, analysis and synthesis of cascaded non-commensurable. A. Premoli 286
Transmission lines, nonuniform, general principle of electrical equivalence for. A. G. J. Holt and K. U. Ahmed 143
Transmission lines with circular outer conductor and eccentric circular inner conductor, TE and TM modes in. E. Abaka and W. Baier 251
Transmission system with cascade phase modulation by dividing the baseband spectrum into subbands. G. Cartianu and A. Popea 147
Transverse-mode selection of rotating-mirror Q switched lasers. D. H. Arnold and D. C. Hanna 354
Trees of a graph, enumeration of all. V. V. B. Rao and V. G. K. Murti 282
Triggering times of Gunn diodes. V. Székely and L. Koblinger 609
Trough waveguides, dielectric-loaded, measurement of the coupling efficiency between dielectric-loaded rectangular waveguides and. N. B. Saddler and J. A. Staniforth 131
Troughton, P. Measurement techniques in microstrip 25
Tsvirko, Yu. A., and Shevchenko, T. G. (See Shevchenko)
Tulunay, E. Analogue antimultipath communication system 127
Tunnel-diode transient analysis. S. L. Sarnot and A. B. Bhattacharyya 275
Turing machines as finite automata, implementation of. D. W. Lewin 616
Turner, C. W., Shomon, A., and White, R. M. Reduced-voltage operation of a surface-elastic-wave amplifier 244
Tveten, L. H., Blair, J. C., and Melanson, L. L. (See Blair)
Two-dimensional analysis of double-gate m.o.s. transistor. G. A. Armstrong, J. A. Magowan, and D. J. Burt 633
Two-dimensional solution of the d.c. characteristics for the m.o.s.t. G. A. Armstrong, J. A. Magowan and W. D. Ryan 406
2-port boundary-value problems, comment on improved method of solution of, arising in optimal control. P. L. Neely 708
2-port impedance parameters of the junction transistor. G. T. Wright 375
Two-port network, orthogonal decomposition of the. A. W. Keen and J. L. Glover 515
Errata 670
Two-ports, mismatched linear active. S. Venkateswaran and V. P. Namjoshi 586
Two-wire line resonator supporting the hybrid TEM-dual surface wave, experiments on a. H. M. Barlow and M. Sen 68
Tyte, D. C. Mean electron energy in a CO_2 laser plasma 447
Tzafestas, S. G. Boundary and volume filtering of linear distributed-parameter systems 199

U

U.H.F.-transistor small-signal behaviour at high frequencies, computer simulation of. D. M. Caughey 165
U.H.F. wave and a fast rise-time pulse, superposition and separation of a. J. Marcou, A. Papiernik and L. Wartski 555
Über den Entwurf linearer zeitvariabler Systeme (Design of linear time-variable systems). E. Freund 343
Ulrich, G., and Harth, W. (See Harth)
Ultralinear-thermometer principle, transistor thermal-resistance measurement using the. A. Ambrózy 100
Ultrasonic surface waves, piezoelectric generation and detection of, by interdigital electrodes: an electrical equivalent circuit. T. Krairojananan and M. Redwood 134
Un resultat sur l'application de procédés limites de synthèse à des fonctions Booléennes (Result of limited synthesis procedures applied to switching). L. Frecon 419
Uncoupling of modes in multi-dimensionally inhomogeneous curvilinear cylinders. I. Sugai 628
Unstiffening process for nonlinear electrical networks. T. B. M. Neill 272
Unstiffening process for stiff nonlinear systems, generalisation of the. T. B. M. Neill 595
Unsymmetrical bandpass and bandstop digital filters. W. Winkelnkemper 585
Upper bounds for the variation of sampled signals. A. Lepschy and F. Todero 126
Urgell, J. Effect du sens de croissance du champ électrique sur les conditions de claquage par avalanche. (Directional effect of electric-field growth on avalanche-breakdown conditions) 16
Errata 109
Uruski, M. Real dominant zero of a Hurwitz polynomial 334
Use of atomic frequency standards for phase calibration of large aerial arrays. K. V. Sheridan 363
Use of inverse Karnaugh maps in realisation of logic functions. F. C. Evans 537
Errata 670
Use of nonuniform dielectrics on surface-wave structures. R. L. Gallawa and J. E. Partch 177
Use of Routh-Hurwitz algorithm for determining the number of negative-real-axis zeros in a given polynomial having real coefficients. J. C. Giguere, V. Ramachandran and P. K. Verma 546
Use of space-charge approximation as trial solution in the computation of potential distributions in semiconductor devices. R. Van Overstraeten and W. Nuyts 646

V

V.H.F. radio links in the United Kingdom, anomolous propagation of. J. A. Lane and I. E. Owlabi 704
Vairavan, K. Relationship between two concepts of equivalence for finite-state machines 655
Valand, J., and Ross, R. I. (See Ross)
Valand's transient-response formula, extending. R. I. Ross and J. Valand 615

van der Ziel, A. A. C. admittance of double-injection space-charge-limited diodes 298
van der Ziel, A. Equivalence of the noise figures of common-source and common-gate f.e.t. circuits 161
Van Loock, W. M. Conditions for single conduction in a series-type frequency multiplier using an ideal step-recovery diode 368
Van Overstraeten, R., and Nuyts, W. Use of space-charge approximation as trial solution in the computation of potential distributions in semiconductor devices 646
Van Overstraeten, R. J., and Nuyts, W. (See Nuyts)
Vapour growth of multilayered GaAs structures for series operation of transferred-electron oscillators R. E. Enstrom, B. E. Berson and J. E. Reynolds 714
Varadarajan, M. S., and Pai, M. A. (See Pai)
Variable-bandwidth filters using switching G. P. Edwards 12
Variation of microstrip impedance with strip thickness. M. A. R. Gunston and J. R. Weale 697
Variation of velocity/field curve of GaAs in the temperature range 40–180°C. P. A. Bostock and D. Walsh 623
Varshney, R. C., and Roulston, D. J. (See Roulston)
Vector-valued functions, simple criterion for the global regularity of. M. Vehovec 680
Vehovec, M. Positive network elements, a new class of elements possessing arbitrary hybrid descriptions 681
Vehovec, M. Simple criterion for the global regularity of vector-valued functions 680
Velocity/field curve of GaAs in the temperature range 40–180°C, variation of. P. A. Bostock and D. Walsh 623
Venkateswaran, S., and Kishan Rao, K. (See Kishan Rao)
Venkateswaran, S., and Namjoshi, V. P. Mismatched linear active 2-ports 586
Venkateswaran, S., and Sarma, P. S. (See Sarma)
Verhoeven, L. Demodulation of Pal signals with two uncritical delay lines 344
Verma, P. K., Giguere, J. C., and Ramachandran, V. (See Giguere)
Video system, hybrid p.c.m.—an experimental. P. C. J. Hill 352
Viscous damping, effect of, on Pasek's method for determining d. c. servomotor time constants. W. Lord and R. M. Roberge 57
Visualisation of acoustic beams using liquid crystals. J. F. Havlice 477
Viswanathan, C. R., and Posner, R. S. Functional relationship between minority-carrier density and injection level in a bipolar transistor 378
Vlaardingerbroek, M. T. Output spectrum of IMPATT-diode oscillators 521
Voges, E. Microwave emission from n type InSb enhanced by Doppler-shifted acoustic cyclotron resonance 372
Voges, E. Observation of Doppler-shifted acoustic cyclotron resonance in the frequency spectrum of the microwave emission from n type InSb 450
Vokes, J. C., and Heath, K. R. Gain stabilisation of parametric amplifiers 89
Volckman, P. V., and Cabion, P. J. (See Cabion)
Voltage and conductivity dependence of the frequency of an acoustoelectric oscillator. S. K. Lahiri and B. R. Nag 170
Voltage measurement in the scanning-electron microscope, improved technique for. J. P. Fleming and E. W. Ward 435
Volume filtering, boundary and, of linear distributed-parameter systems. S. G. Tzafestas 199

W

Wait, J. R., and Spies, K. P. Fields of electric dipole on radially inhomogeneous ground surface 478
Wait, J. R. Image theory of a quasistatic magnetic dipole over a dissipative half space 281
Wait, J. R. Reflection from subrefractive layers 64
Wait, J. R. Surface-wave effects with large antenna earth screens 552
Walsh, D., and Bostock, P. A. (See Bostock)
Walsh, D., and Kooi, P. S. (See Kooi)
Ward, E. W., and Fleming, J. P. (See Fleming)
Warren, A. C. On state of chalcogenide glass switches 609
Warren, A. C. Switching mechanism in chalcogenide glasses 461
Errata 570
Wartski, L., Marcou, J., and Papiernik, A. (See Marcou)
Water surfaces, electric discharges on. F. D. A. Boylett 47
Watkins, J., and Brown, D. Calculation of the complex permittivity of lossy dielectric materials using the Roberts-von Hippel standing-wave method 243
Watkins, J. Circular resonant structures on microstrip 524
Watson, P. A., and Butcher, M. E. Phase-locked degenerate parametric amplifier 392
Wave instability, space-charge, in a semiconductor exhibiting field-dependent diffusion coefficient and saturated drift velocity. P. Gueret 248
Waveform sequences, comment on systematic method of calculating the amplitude spectra of. A. C. Davies 296
Waveform sequences, systematic method of calculating the amplitude spectra of. W. M. S. Liew and R. C. V. Macario 155
Waveform transmission with permutation modulation. E. Biglieri, V. Castellani and M. Pent 149
Waveguide attenuation expressions, discrepancies in. M. M. Brady 718
Waveguide-below-cutoff resonators for solid-state active devices, investigation of. F. Ivanek, M. Shyam and V. G. K. Reddi. 214
Waveguide, circular and elliptical, difference between the TM_{11} mode in a. J. G. Kretzschmar 602
Waveguide containing bianisotropic materials, general orthogonality relation for. Duong Ba Hoo 52
Waveguide-iris problems, computer method of solving. P. H. Masterman P. J. B. Clarricoats and C. D. Hannaford 23
Waveguide junction, rectangular, analysis of a, incorporating a row of rectangular posts. P. R. Huckle and P. H. Masterman 559
Waveguide, periodically modulated dielectrically filled, as a microwave antenna. P. Balling 508
Waveguide, rectangular, bandstop filter for the H_{10} mode in a. W. Braeckelmann 500
Waveguide, rectangular, experimental investigation of the input-impedance characteristics of an antenna in a. M. J. Al-Hakkak 513
Waveguide with a microstrip line, Fourier analysis of a dielectric-loaded. J. S. Hornsby and A. Gopinath 265
Waveguider feeder of Goonhilly aerial, modification to the receive-path. N. E. Cartwright 240
Waveguides, application of the ray-optical technique to dielectric-loaded rectangular. J. E. Robinson, A. Mohsen and M. A. K. Hamid 380
Waveguides, cutoff wavelengths and frequencies of standard rectangular. M. M. Brady 410
Weale, J. R., and Gunston, M. A. R. (See Gunston)
Weidmann, G., and Thaler, H. J. Thermal effects in modulated IMPATT oscillators 92
Weiss, J. A., and Bryant, T. G. Parameters of microstrip 517
Westcott., B. S. Generalised solutions for distributed lines 643
Whalley, G. W., and Salvage, B. Electric strength of fluorocarbon liquids under repetitive pulse voltages 460
White, R. M., Turner, C. W., and Shomon, A. (See Turner)
Wideband mode coupling, new principle for. A. L. Cullen and O. J. Davies 90
Wilkins, B. R., and Batchelor, B. G. (See Batchelor)
Willems, J. L. Criterion for the stability of a fourth-order position control system 96
Errata 174
Williams, J. C., and Aitchison, C. S. (See Aitchison)
Williamson, S. E. Computer program to obtain the time response of sampled-data systems 209
Willis, W., Redwood, M., and Mitchell, R. F. (See Mitchell)
Wills, M. S., and Crocker, A. (See Crocker)
Wilson, B. L. H., and Wright, H. C. Output saturation in GaP red lamps 412
Wilson, M. G. F., Ash, E. A., and Sharma, A. K. (See Sharma)
Wing, P. A. Adaptive delta modulation 191
Winkelnkemper, W. Unsymmetrical band-pass and bandstop digital filters 585
Wirgin, A. Algorithm for inversion of large matrices by iteration 627
Wise, B. Active bandpass and bandstop filters using identical networks 366
Withers, M. J., and Rudge, A. W. (See Rudge)
Withers, M. J. Frequency-insensitive phase-shift networks and their use in a wide-bandwidth Butler matrix 496
Wolff, I. Electromagnetic resonances of a free ferrite sphere 104
Woroncow, A., Salt, H., and Croney, J. (See Croney)
Wright, D. R., Lacey, S. D., and Large, L. N. (See Lacey)
Wright, G. T. 2-port impedance parameters of the junction transistor 375
Wright, H. C., and Wilson B. L. H. (See Wilson)
Wuchinich, D. Simple ultra-lowpass filter (diode brake) 137

X

X band Gunn-effect oscillators using r.f. injection, elimination of delay times in. R. Harrison 503

Y

Y-Δ transformation theorem for reliability-function calculations with application to nonseparable structures. N. Millea 661
Y.I.G. rods, transversally magnetised [100], resonance absorption of microwave longitudinal phonons in. P. de Santis and F. Marchetti 200
Y.I.G. slab, magnetostatic surface modes of a. M. Sparks 618
Y.I.G. slab, transversely magnetised thin, effect of boundary conditions on the propagation of surface magnetostatic waves in a. P. Young 429
Yamashita, E., Mittra, R., and Itoh, T. Application of the sampling theorem to a multislit coupling structure of a confocal-mirror resonantor 67
Yando, S., and Fischler, C. (See Fischler)
Yasuda, H., and Saito, T. (See Saito)
Yates, J., and Holt, A. G. J. (See Holt)
Yell, R. W. Signal-compression performance of Schottky-barrier diodes in microwave mixers 360
Young, A. S., Maines, J. D., Paige, E. G. S., and Saunders, A. F. (See Maines)
Young, E., Jun. Field analysis for the cylindrical m.h.d. induction generator 659
Young, P. Effect of boundary conditions on the propagation of surface magnetostatic waves in a transversly magnetised thin y.i.g. slab 429
Youssef, T., Buykes, J., Mau, A., Stein, A., and Thompson, L. (See Buykes)
Yu, Dahsoong. Functional spaces in Lyapunov's direct method for a class of partial differential equations 357

Z

Zakian, V. Numerical inversion of Laplace transform 120
Zappert, F., Snapp, C. P., and Hoefflinger, B. (See Hoefflinger)
Zero-crossing information for signal reconstruction. S. C. Kak 645
Zettler, R. A., and Cowley, A. M. (See Cowley)